

SAFE T STRIP PORTABLE BLASTERS



Grand Northern Products


**Gentle on Work Surfaces
And the Environment**

Hopper with screen simplifies loading of media

Gauge shows operating pressure

Manual valve enables precise adjustment of pressure differential between the vessel

Fifty-foot blast hose is ideal for Tough to reach projects



Six-inch top opening speeds up media refills

Minihelic indicator displays differential between vessel pressure and blast pressure

Sure-Flo media regulator closes automatically when trigger is released

Now available in one portable machine the ability to blast a wide range of media from baking soda to steel shot and grit. If you are a contractor or responsible for facility maintenance, the Grand Northern Products' **SAFE T STRIP** is ideal for your applications or products.

Safe and gentle for fire restoration, mold remediation, historical restoration, graffiti removal, food and pharmaceuticals, and electric motor cleaning.

Strong and versatile for depainting, equipment reconditioning, grease / oil / adhesive removal, petrochemical, paper and pulp, and municipalities.

SAFE T STRIP portables assure even flow of light media by creating a pressure differential between the pressure vessel and blast pressure. This pressure differential, which can be adjusted precisely with a manual valve prevents bridging and produces consistent feed rates. You will save time and money on all your restoration, remediation, and cleaning projects!

SPECIFICATIONS:

Media Capacity:	1.5 cubic feet (usable capacity)
Height:	59" (including load hopper)
Weight:	200 lbs.
Length:	26"
Width:	22"

1-800-968-1811

www.grandnorthern.com

Nozzle Selection Chart

Stripping delicate substrates and cleaning applications



Water Induction Nozzle



Fan Nozzle

Paint stripping applications



Performance Nozzle

Paint and corrosion removal applications



Profile Performance Nozzle (Wet)

Air Consumption Chart (scfm)

Nozzle Number	Orifice Size	Nozzle Pressure (PSIG)										
		20	30	40	50	60	70	80	90	100	110	120
4	1/4"	31	40	48	57	66	75	84	93	103	111	119
6	3/8"	69	89	109	129	149	169	189	209	229	249	269
8	1/2"	123	158	194	229	265	300	336	371	407	442	478