

Premier IS-1 by Clearlight®



Features

Therapeutic Infrared Heaters

Our exclusive True Wave® combination carbon/ceramic Low EMF far infrared heaters surround you in healing infrared heat.

Doctor Designed Ergonomic Bench

Relax in comfort in your sauna with our reversible bench. The extra deep bench is ergonomic on one side and flat on the other for maximum comfort. You can flip the bench at any time.

Elegant Details

Beautiful tongue and groove wood and attention to detail set our furniture quality sauna cabins apart.

Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

Built-in Ergonomic Backrest

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.



Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



Beautiful Wooden Light Shade

Your sauna sessions are enhanced with the relaxing inside light for that true sauna feel.



Built-in Ergonomic Backrest


Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.






Low EMF/ELF

Using ultra-sensitive testing equipment, our proprietary heaters cancel out both EMF and ELF, making them the safest on the market.

Premier IS-1 by Clearlight®



Top View



120 V / 15 Amps Electrical circuit required.
NEMA 5-15

Specifications

Construction

Eco-Certified wood choices:
1. Mahogany Exterior/Interior
2. Basswood Exterior/Interior
Tongue & Groove Construction
Weight: 325 lbs

Exterior

Width: 40"
Side Walls: 44"
Height: 76"
Roof overhang: 6 5/8"
Door: 23 3/4" x 64 7/8"

Interior

Width: 35"
Depth: 40"
Height: 71"
Bench: 33" x 22"
Bench Height: 17 1/2"

Far Infrared Heaters

True Wave® Carbon/Ceramic
Low EMF/ELF Heaters
Power: 120V / 1,370W / 11.42 A

Limited Lifetime Residential Warranty

Cabinetry
Electrical
Heaters



Attention: make sure largest panel
can fit through all access points
from location entrance to sauna
set up location

Premier IS-1 by Clearlight®

Individual panel sizes laying flat in inches

Panel	Length	Width	Height
Roof	50 ¼	40	3 ½
Floor	43 ½	39 ¾	2 ¾
Left Side	71 ½	39	4
Right Side	71 ½	39	4
Back Wall	71 ½	39	5
Front Wall	71 ½	39	3 ¾
Overhang	71 ½	39	3 ¾

Electrical Wire Requirements:

15 amp saunas are 14 AWG
20 amp saunas are 12 AWG
Single phase / 3 wire: live/neutral/ground - for 120v



Attention: Make sure sauna is assembled on a level surface

Additional Information

Installation and Clearance Requirements

Your sauna is designed as a standalone unit and must remain fully accessible on all sides and the roof. At least 4 inches (10 cm) minimum clearance on each side of the sauna is required for installation and proper ventilation. Adequate clearance above the sauna roof is necessary to allow for installation, troubleshooting, and maintenance access as key components are located in the roof of the sauna. Please ensure sufficient space to safely access the roof when needed.

Add On

- Can't have both upgrade heater and Red Light simultaneously.

Bench Weight Limit

Bench Weight Limit 350 lbs per person