LEGEND Technical Services, Inc.

88 Empire Dr.
St. Paul MN 55103
Tel. 651-642-1150
Fax. 651-642-1239

Certificate of Analysis

Client Name:	Frosty Roots Farm	**Matrix:**	Solid
Client Address:	7739 Ceder Rd, Milaca, MN 56353	**Date Received:**	10/5/2020 1:45:00PM
Sample ID:	CBD Roll-On 200 MG	**Lab Sample ID:**	2003960-07
Lot/Batch #:		**Date of Report:**	10/13/2020 10:46:16AM

Analysis	Requested (Yes/No)
Cannabinoid Profile	Yes
Terpene Profile	No
Aflatoxins	No
Heavy Metals	No
Residual Solvents	No
Microbial Testing	Yes
Pesticides	Yes


Sample, packaged


Sample, actual

Cannabinoid Profile 2003960-07 CBD Roll-On 200 MG

Analyte	Result	RL	Units	Analysis Method	Date Analyzed	Notes
Cannabichromene (CBC)	0.0318	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
Cannabidiol (CBD)	1.65	0.200	% by Weight	HPLC	10/9/20 8:18 pm	
Cannabidiolic Acid (CBDA)	<0.00200	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
Cannabigerol (CBG)	0.0362	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
Cannabigerolic Acid (CBGA)	<0.00200	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	T-8
Cannabinol (CBN)	0.00245	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
Delta-9-Tetrahydrocannabinol (d9-THC)	0.0722	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
THCA-A	<0.00200	0.00200	% by Weight	HPLC	10/9/20 8:05 pm	
Total CBG	0.0362	0.00376	% by Weight	HPLC	10/9/20 8:05 pm	T-8
Total CBD	1.65	0.202	% by Weight	HPLC	10/9/20 8:18 pm	
Total THC	0.0722	0.00375	% by Weight	HPLC	10/9/20 8:05 pm	

Microbial Testing 2003960-07 CBD Roll-On 200 MG

Analyte	Result	RL	Units	Analysis Method	Date Analyzed	Notes
Salmonella	<1.0	1.0	CFU/g	AOAC 2014.01	10/8/20 9:17 am	
Total Aerobic Bacteria	<110	110	CFU/g	AOAC 990.12	10/8/20 9:17 am	
Total Bile Tolerant Gram-Negative Bac	<65	65	CFU/g	AOAC 2003.01	10/7/20 9:17 am	
Total Coliform	<4.3	4.3	CFU/g	AOAC 991.14	10/7/20 9:17 am	
Total Yeast and Mold	<4.3	4.3	CFU/g	AOAC 997.02	10/9/20 9:17 am	
Total E.coli	<4.3	4.3	CFU/g	AOAC 991.14	10/8/20 9:17 am	

Sarah Smestad - Chemist II/Client Manager I

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All samples will be retained by Legend Technical Services, Inc. unless consumed in the analysis, for 30 days from the date of this report and then discarded unless other arrangements are made. ISO/IEC 17025:2017 Accredited, A2LA Certificate 2950.01.

LEGEND Technical Services, Inc.

88 Empire Dr.
St. Paul MN 55103
Tel. 651-642-1150
Fax. 651-642-1239

Certificate of Analysis

Pesticides **2003960-07** **CBD Roll-On 200 MG**

Analyte	Result	RL	Units	Analysis Method	Date Analyzed	Notes
3-Hydroxycarbofuran	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Bendiocarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	L2
Bifenazate	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Carbofuran (Furadan)	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Chloroxuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Chlorotoluron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Cycluron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Cymoxanil	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Diethofencarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Diuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Fenobucarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Fenoxycarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	V1
Fenuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Indoxacarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Iprovalicarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Isoprocarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Isoproturon	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Linuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Metobromuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Monolinuron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Pirimicarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Promecarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Proproxur	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Siduron	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Thiobencarb	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	V1
Avermectin (abamectin)	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Acequinocyl	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Bifentrhin	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Cyfluthrin	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Etoxazole	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Imazalil	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Imidacloprid	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Azoxystrobin	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Paclobutrazol	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Spinetoram (J&L)	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Spinosad D	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Spiromesifen	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Spirotetramat	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Tebufenpyrad	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	
Pyrethrin I	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	V1
Pyrethrin II	<0.19	0.19	ug/g	LC-MS/MS	10/7/20 6:00 pm	

Sample Narrative: **2003960-07** **CBD Roll-On 200 MG**

Based on 28.05 g per container,
460 mg CBD per container

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All samples will be retained by Legend Technical Services, Inc. unless consumed in the analysis, for 30 days from the date of this report and then discarded unless other arrangements are made. ISO/IEC 17025:2017 Accredited, A2LA Certificate 2950.01.

LEGEND Technical Services, Inc.

88 Empire Dr.
St. Paul MN 55103
Tel. 651-642-1150
Fax. 651-642-1239

Certificate of Analysis

Notes and Definitions

CFU/g	Colony Forming Units per Gram
HPLC	High-Performance Liquid Chromatography
MS	Mass Spectrometry
<	Less than value listed
RL	Reporting Limit
NA	Not Applicable
L2	The associated blank spike recovery was below laboratory acceptance limits.
T-8	Laboratory not accredited for this analysis.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All samples will be retained by Legend Technical Services, Inc. unless consumed in the analysis, for 30 days from the date of this report and then discarded unless other arrangements are made. ISO/IEC 17025:2017 Accredited, A2LA Certificate 2950.01.