

# 2018 Product Catolog

RESISTANCE

WELD HEADS

WELD ATTACHMENTS







PULSE ARC/MICRO TIG

LASEF

ACCESSORIES











### **Table of Contents**

Pulse-Arc / Micro TIG Welders	.3
Pulse-Arc / Micro TIG Welder Electrodes	5
Pulse-Arc / Micro TIG Welder Accessories	6
Laser Welders1	0
Laser Engravers/Cutters1	11
DC – Resistance Welders1	2
CD Dual Pulse – Resistance Welders1	2
CD Single Pulse - Resistance Welders1	2
AC – Resistance Welders1	3
Resistance Welding – Weld Heads1	4
Resistance Welding – Hand Attachments1	5
Resistance Welding – Electrodes1	9
Resistance Welding - Accessories2	21
Battery Welding Systems2	21
Battery Welding – Copper Tab System2	2
Battery Welding – CNC Systems2	23
Battery Welding - Accessories2	4



### **PULSE ARC / MICRO TIG WELDERS**

Orion 250i<sup>2</sup> Welder Orion 250 i<sup>2</sup> Welding Power Supply, (welder, swing arm, 12,900

microscope and all accessories . come in one box).

Orion 200i<sup>2</sup> Welder Orion 200 i<sup>2</sup> Welding Power Supply, (welder, swing arm,

microscope and all acc. come in one box).



7.900

Orion 250s Arm Orion 250s Micro Pulse Arc Welder with Free–Floating Microscope 6,000

Package (Orion Arm)

(2 boxes)



Orion 250s ADL Orion 250s Micro Pulse Arc Welder & Darkening Lens Package 5,800

(2 boxes)



Orion 150s Arm Orion 150s Welding Power Supply with Swing Arm 4,900

(2 boxes)

(2 boxes)



Orion 150s ADL Orion 150s Welding Power Supply with Darkening Lens 4,700





PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
Orion 100c Arm	Orion 100c Swing Arm Microscope Package and Accessories (2 boxes)	3,900	O Owler
Orion 100c ADL	Orion 100c Darkening Lens Package and Accessories (2 boxes)	3,700	O Owns
Orion mPulse 30 Mounted	Orion mPulse 30 joule pulse-arc welder with microscope and power supply mounted on top	2,600	
Orion mPulse 30 Unmounted	Orion mPulse 30 joule pulse-arc welder with microscope Unmounted	2,500	7.5 W
Orion mPulse 30 Upgraded ADL	Orion mPulse 30 joule pulse-arc welder with upgraded auto-darkening lens	2,199	75%



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
Orion mPulse 30 Basic ADL	Orion mPulse 30 joule pulse-arc welder with auto-darkening lens	1,999	O min -
Orion mPulse 30 Arm w/Cradle	Orion mPulse 30 arm upgrade with built in power supply cradle. Includes RJ45 cable.	600	
Earring Post Welder 50p	System for welding posts to work pieces	4,900	

# PULSE ARC / MICRO TIG WELDER ELECTRODES

ngsten Electrode Tips (15) 1.5mm.	60
ngsten Electrode Tips (15) 1.0mm.	45
ngsten Electrode Tips (15) 0.5mm.	45
ngsten Electrode Tips 1.0mm and 0.5mm (10 of each).	60
	ngsten Electrode Tips (15) 1.0mm. ngsten Electrode Tips (15) 0.5mm.





# PULSE ARC / MICRO TIG WELDER ACCESSORIES

ACCESSO			
Orion Collet 1.5mm	1.5mm Orion Collet	10	M
Orion Collet 1.0mm	1.0mm Orion Collet	10	
Orion Collet 0.5 mm	0.5 mm Orion Collet	10	
Orion Dremel	Dremel tool for the Diamond wheels, to sharpen the Orion electrodes	50	
Dremel Disks	5 pack of Diamond Dremel Disks	15	
Orion GB Pack	Fiber Glass Brushes for cleaning weld spot area Sold as a pack of 5	35	
Orion ADL	Orion Darkening Lens Stand (can be paired with any Orion) microscope and all acc. come in one box).	300	
Orion Threaded Stylus	Pulse Arc Welding Stylus. Handpiece for Use with Orion Welders	850	
Orion Snap In Stylus	Pulse Arc Welding Stylus. Handpiece for Use with Orion Welders	850	



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
Orion Stylus Extension Threaded	Pulse Arc Welding Stylus Extension for threaded models	300	
Orion Stylus Extension Snap in	Pulse Arc Welding Stylus Extension for Snap In models	300	
AGR 2	Precision Argon Gas Regulator, with quick connector. Made in USA	149	
AGR 1	Argon Gas Regulator Made in China	75	
AGR-Inline	Orion Inline Low Pressure Argon Regulator. (2 boxes)	75	
Orion Wire Kit A	Includes: 12 in. of 26 gage Sterling Silver wire, 6 in. of 26 gage 14k Yellow Gold wire, 6 in. of 26 gage 14k White Gold wire, and 1 gem guard kit.	100	
Orion Gem Guard	SHG Gem Guard – 2 vial set	30	Common Settle Common Co



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
Orion Weld Att. Pkg.	Orion Pulse Arc Weld Attachment Package. Includes: *Orion Pulse Arc Small Flat Peaked Pliers *Orion Tack Small Double Pole Tweezers *Orion Tack+ *Orion THP+	325	
Orion Crosslock	Pulse Arc Cross Lock Tweezer	36	
Orion Brass Lined Pliers	Orion Brass Lined Pliers	33	
Orion Jump Ring Pliers	Jump Ring Pliers.	35	
Orion Double Pole	Orion Tack Small Double Pole Tweezers.	50	
Orion SPHP LP	Single Probe Hand Piece – Low Power. 1/4" dia brass shank accepts 1/16" (for Tungsten) or 2mm.	200	
Orion DPHP LP	Dual Probe Hand Piece – Low Power, 1/4" dia brass shank with10 AWG cabling, accepts 1/16" copper or 2mm tungsten electrodes (1 pair copper electrodes included).	300	



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
THP-A	Tweezer Hand Piece. 10 AWG Cabling (3 Feet) with ring Connectors for use with Sunstone welders.	200	
Orion THP+	Orion Tweezer Hand Piece. 10 AWG Cabling (6 Feet) with Spade Connectors for use with Orion Welders.	250	
Orion Tack+	Tack Welding Cables with + and - Alligator Clips. 10 AWG Cabling (6 Feet) with Spade Connectors for use with Orion Welders.	50	
Orion Tack Alligator Clip	Orion Tack Alligator Clip. 10 AWG cables (3 feet long), with spade terminals. For use with an Orion.	20	



**DESCRIPTION** PRICE (USD) PRODUCT PICTURE PART NUMBER **LASER WELDERS** 140 Joule laser welder, with built in Camera. LZR 140 21,900 LZR 100 100 Joule Laser Welder, with built in Camera. 17,900 60 Joule laser welder, with built in Camera. LZR 60 14,900 Motorized Pedastol for Benchtop Laser Welder 29,900 LZR Pedastol 29,900 LZR Combo 200 200J fiber laser welder with articulating arm Automated laser welding system - 100 Joule **LZR 100A** 29,900 Automated laser welding system - 140 Joule **LZR 140A** 32,900



### **LASER ENGRAVERS/CUTTERS**

LZR ENG 100 3D	100 Watt Laser Engraver for 3D parts.	91,900	Oorion ()
LZR ENG 70 3D	70 Watt Laser Engraver for 3D parts.	76,900	<u> </u>
LZR ENG 50 3D	50 Watt Laser Engraver for 3D parts.	62,900	Oorion
LZR ENG 40 3D	40 Watt Laser Engraver for 3D parts.	53,900	
LZR ENG 30 3D	30 Watt Laser Engraver for 3D parts	47,900	
LZR ENG 20 3D	20 Watt Laser Engraver for 3D parts	42,900	
LZR ENG 100	100 Watt Laser Engraver.	79,900	ENGRAVER
LZR ENG 70	70 Watt Laser Engraver.	64,900	
LZR ENG 50	50 Watt Laser Engraver.	50,900	
LZR ENG 40	40 Watt Laser Engraver.	41,900	Dry H
LZR ENG 30	30 Watt Laser Engraver.	35,900	
LZR ENG 20	20 Watt Laser Engraver.	30,900	
LZR ENG 20 Nano	20 Watt Laser Engraver with manual z-axis movement	19,900	
LZR ENG 10 Nano	10 Watt Laser Engraver with manual z-axis movement	18,900	
			O orion
LZD ENC Acc Dica	XY clamp, Rotary Ring Clamp, Vacuum extractor,	5,950	
LZR ENG Acc. Pkg.	Ar clamp, Rotary King Clamp, Vacuum extractor,	3,330	
LZR XY Clamp	XY Clamp for engraving.	750	
LZRXI Clamp	AT Clarify for Engraving.	750	
LZR Ring Clamp	Rotary ring clamp for engraving on the inside and the outside of rings.	1,500	
LZR ENG Vacuum	Vacuum extractor for LZR Engraver	3,700	
LZR Vacuum Basic	Compact simple Vacuum extractor for LZR Engraver	1,000	



### DC - RESISTANCE WELDERS

Linear DC Welding power supply, with 12v MAC valve

included, for ACS use.

Intuitive touch screen, updateable, 10-2500 amps,

0.01-500ms timing,



11,900

### **CD DUAL PULSE - RESISTANCE WELDERS**

CD1100DP 1100ws Dual Pulse Industrial CD Spot Welder. 9,500

CD1100DP-RS 1100 watt-second capacitive discharge spot welder with Roll 10,000

Spot software.

CD1000DP 1000ws Dual Pulse Industrial CD Spot Welder. 9,000

CD1000DP-RS 1000 watt-second capacitive discharge spot welder with Roll 9,500

Spot software.



CD600DP 600ws Dual Pulse Industrial CD Spot Welder. 6,400

CD600DP-RS 600 watt-second capacitive discharge spot welder with Roll Spot 6,900

software.

CD400DP 400ws Dual Pulse Industrial CD Spot Welder. 4,700

CD400DP-RS 400 watt-second capacitive discharge spot welder with Roll Spot 5,200

software.

CD200DP 200ws Dual Pulse Industrial CD Spot Welder. 3,900

CD200DP-RS 200 watt-second capacitive discharge spot welder with Roll Spot 4,400

software.



### CD SINGLE PULSE - RESISTANCE WELDERS

CD200SPM 200ws Single Pulse Research and Light Production Resistance 3,700

Spot Welder.

CD100SPM 100ws Single Pulse Research and Light Production Resistance 2,900

Spot Welder.





### **AC - RESISTANCE WELDERS**

AC 15.0 kVA 15kVA, 460–480v AC Welding Power Supply. 11,000

AC 5.0 kVA 5.0kVA, 220–240v AC Welding Power Supply. 8,000



AC 2.2 kVA 2.2kVA, 220–240v AC Welding Power Supply. 6,000





### **RESISTANCE WELDING - WELD HEADS**

WH1187A HF WH1187 HF, High Force Opposed, MAC Valve Air–Actuated Weld

Head with foot pedal, trigger cable, 1 AWG Welding Cables, 3/16"

electrodes.



5,250

3,150

5,250

WH1125A WH1125A Opposed, MAC Valve Air-Actuated Weld Head with foot 3,150

pedal, trigger cable, 1 AWG Welding Cables, 1/8" electrodes.

WH1125M WH1125M Opposed, Mechanical Weld Head with foot pedal, trigger

cable, 1 AWG Welding Cables, 1/8" electrodes.



WH1250 EL Upgrade Opposed Weld Head 1/4" Electrode Holders and Electrodes. 300

WH2125A series/parallel, MAC Valve Air-Actuated Weld Head 3,250

with foot pedal, trigger cable, 1 AWG Welding Cables, Glydcop

electrodes (1 pair). Includes a base plate.

WH2125M WH2125M series/parallel, Manually-Actuated Weld Head with 3,250

foot pedal, trigger cable, 1 AWG Welding Cables, Glydcop

electrodes.



WH2250 EL Upgrade Parallel Weld Head 1/4" Electrode Holders and Electrodes. 300

MWH3000 Opposed Opposed Gap Micro Weld Head. Ranges between 80–3000gF. 5,250

Manually Actuated. Includes Swing Arm & Microscope, 5x/10x

Magnification with Light Source.



MWH3000 Parallel Parallel Gap Micro Weld Head. Ranges between 80–3000gF.

Manually Actuated. Includes Swing Arm & Microscope, 5x/10x

Magnification with Light Source.





# RESISTANCE WELDING - HAND ATTACHMENTS

PG1/2	The PG1/2 is the smallest single side gun. It can be fitted with a straight or 90 degree tip. Triggered with a foot pedal. Accepts threaded electrodes.  The PG1 is the smallest single side gun. It can be fitted with a straight or 90 degree tip and has a built in switch. Accepts threaded electrodes.	750 1,000	
PG2	Pistol Grip Hand Piece with Button Trigger. Accepts threaded electrodes.	1,500	
PG2W PG3W	The PG2W is a water cooled hand piece. Accepts threaded electrodes. Industrial uses.  The PG3W is water cooled hand piece. Accepts compression electrodes. Heavy duty industrial uses.	2,000 2,500	
PW Chiller	Chilling unit for use with water cooled hand pieces	2,000	· (c
PG4	The PG4 gun is designed as a series welder. This gun will apply 2 spots simultaneously. Accepts compression electrodes.	2,400	
PG5M	The PG5M miniature pliers, uses 1/8" electrodes.	1,750	



	PART NUMBER	DESCRIPTION	PRICE (USD) PRODUCT PICTURE
	EL PG Threaded	3/8" Diameter, Tapered Copper Electrode (threaded) for PG2 and PG1.	60
	EL PG Wheel Threaded	2" Copper Wheel electrode, threaded fitting style.	250
	EL PG Wheel Compression	2" Copper Wheel electrode, compression fitting style.	250
	EL PG Adapter 125	Threaded adapter for the Poke hand pieces, accepts a 1/8th inch electrode.	60
	EL PG Adapter 187	Threaded adapter for the Poke hand pieces, accepts a 3/16th inch electrode.	60
	PASP2	Pistol grip, pressure actuated single probe with adjustable pressure.	1,750
	PASP HP	Pressure–Actuated Single Probe Hand Piece Attachment with Large Alligator Clip for simple setup.	500
	PASP HP RS	Pressure-Actuated Single Probe Hand Piece Attachment (with Large Alligator Clip) for Roll Spot welding. Accepts 1/4" dia electrodes, such as EL-Roll(included).	750
	EL-ROLL	Pressure–Actuated Single Probe Hand Piece Wheel	250
1			



	Suistoile		
PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
SPHP	Single Probe Hand Piece	100	
SPHP LP	Single Probe Hand Piece – Low Power. 1/4" dia brass shank accepts 1/16'(for Tungsten) or 2mm.	200	
SPHP MP	Single Probe Hand Piece – Medium Power, 5/8" dia brass shank with 4 AWG cabling, accepts 1/8' electrodes.	350	
SPHP HP	Single Probe Hand Piece – High Power. 7/8" dia brass shank accepts 3/16' electrodes.	500	
DPHP Micro	Micro Micro Welding Hand Piece for Use with DC Welders. Includes one thermal compression bonding hand piece with one MEL-TCB-FL electrode.  *** For use with thermocompression electrodes.	250	
DPHP	Dual Probe Hand Piece	150	
DPHP LP	Dual Probe Hand Piece – Low Power, 1/4" dia brass shank with 8 AWG cabling, accepts 1/16" copper or 2mm tungsten electrodes (1 pair copper electrodes included).	300	
DPHP MP	Dual Probe Hand Piece – Medium Power 5/8" dia brass shank with 4 AWG cabling, accepts 1/8" electrodes (1 pair copper electrodes included).	500	
DPHP HP	Dual Probe Hand Piece – High Power 7/8" dia brass shank with 1 AWG cabling, accepts 3/16" electrodes (1 pair copper electrodes included).	650	
Hand Piece Package	Hand Piece RWMA II Package includes Sunstone's DPHP, SPHP, & THP-A weld attachments.	400	



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
PTHP LP	Pressure–Actuated Tweezer Hand Piece: Low Power. 1/8" diameter Electrodes.	750	
EL PTHP LP 187	* 3/16" diameter upgrade available upon request	100	
EL125RWMA-ANG	3" Copper (Angled) Electrodes, 1/8" diameter (1 pair).	55	
EL187RWMA-ANG	3" Copper (Angled) Electrodes, 3/16" diameter (1 pair).	55	
EL187MOLY-ANG	3" Molybdenum (Angled) Electrodes, 3/16" diameter (1 pair).	65	
PTHP MP	Pressure-Activated Tweezer Hand Piece: Moderate Power. 3/16" dia. Electrodes	800	
PTHP HP	Pressure-Activated Tweezer Hand Piece: High Power. 3/16" dia. Electrodes	850	
THP-P	Pneumatic Tweezer Hand Piece.	1,995	sunstone
ACS	Air Control System – Regulates Compressed Air Functionality for Pneumatic Weld Attachments, and Controls Shielding Gas such as Argon.	1,795	sunstene



### **RESISTANCE WELDING - ELECTRODES**

EL125BATT	2.5" Battery Style Copper GlidCop Electrodes, 1/8" diameter (1 pair).	30	
EL250BATT	2.5" Battery-Style Copper Glidcop Electrodes, 1/4" diameter (1 pair).	75	
EL062RWMA	2" RWMA II Electrodes, 1/16" diameter (1 pair).	15	
EL125RWMA	2" RWMA II Copper Electrodes, 1/8" diameter (1 pair).	15	
EL125RWMA3	3" RWMA III Electrodes, 1/8" diameter (1 pair).	20	
EL187RWMA	2" Copper Electrodes, 3/16" diameter (1 pair).	25	
EL250RWMA	2" Copper Electrodes, 1/4" diameter (1 pair).	25	
EL0625TUNG	2" Pure Tungsten Electrodes, 1/16" diameter (1 pair).	20	M
EL125TUNG	2" Pure Tungsten Electrodes, 1/8" diameter (1 pair).	25	
EL187TUNG	2" Pure Tungsten Electrode, 3/16" diameter (1 Pair).	55	
EL12STUNG7	7" Pure Tungsten Electrodes, 1/8" diameter (1 pair).	75	
EL187TUNG7	7" Pure Tungsten Electrodes, 3/16" diameter (1 Pair).	110	
EL125MOLY	2" Molybdenum Electrodes, 1/8" diameter (1 pair).	35	
EL187MOLY	2" Molybdenum Electrodes, 3/16" diameter (1 pair).	50	
			-
EL Honeycomb Flat	Honeycomb Tack Electrode Flat.	240	1
EL Honeycomb Radius	Honeycomb Tack Electrode Radiused.	240	



PART NUMBER	DESCRIPTION	PRICE (USD)	PRODUCT PICTURE
MEL AG	Square, Adjustable Gap Glidcop Micro Electrodes for Micro Weld Head. 0.015" x 0.025" Face Tip (1 pair). Best for fine, Non coated, resistive wires.	150	
MEL AMO	Square, Adjustable Gap Molybdenum Micro Electrodes for Micro Weld Head. 0.015" x 0.025" Face Tip (1 pair) – Best for fine, Non coated, conductive wires.	150	
MEL BMO	Square, Fixed/Bonded 0.0015" Gap Molybdenum Micro Electrodes for Micro Weld Head. 0.010" x 0.010" Face Tip (1 pair). Best for very fine, Non coated, conductive wires.	235	
MEL TCB .25mm²	Micro, thermocompression bonded electrode with a 0.25mm x 0.25mm flat face, 5 electrode pack.	240	
MEL TCB FL	1/8" Tungsten Flat Thermal Compression Bonded Micro Electrodes (5 Pair). For use with fine magnet wires, using low voltages during welds. Medium range uses.	240	
MEL TCB SL	1/8" Tungsten Slant Thermal Compression Bonded Micro Electrodes (5 Pair). For use with fine magnet wires, using low voltages during welds. Designed to weld and 'cut' the wire simultaneously.	240	
MEL TCB SmFl	Micro, Thermocompression electrode with a small, flat face: 0.4mm x 0.5mm. Perfect for small magnet wires. (5 electrode pack).	240	
MEL TCB SY	1/8" Tungsten Symmetrical Thermal Compression Bonded Micro Electrodes (5 Pair). For use with very fine magnet wires, using very low voltages during welds. Very precise.	240	
MEL TCB U	1/8" Tungsten U-Shaped Thermal Compression Bonded Micro Electrodes (5 Pair). For use with larger magnet wires, using higher voltages during welds.	240	<u> </u>



**BWS High Power** High Power Battery Welding System 8,125

**BWS Standard** Standard Battery Welding System 7,325

**BWS Simple** Simple Battery Welding System. 4,075



### ATTERY WELDING - COPPER TAB SYSTEM

Orion EV Welding System. Includes Orion 250i<sup>2</sup> welder and WHEV Orion 250i2 EV System

Pro 1 weld head, electrode starter kit, a Roll of SC500N10 Copper, AGR-Inline, AGR2 & 1/4" argon tube splitter fitting.



Orion 250i2 EV Arm Pkg. Orion Swing Arm Microscope, Orion stylus & all standard Orion 250i2 accessories.

1,500

24,900





### **BATTERY WELDING - CNC SYSTEMS**

WHEV CNC

Includes all of the parts needed to complete the Orion 250i2EV system, that don't come included with a normal Orion 250i2. WHEV weld head, Steel collet nut, Brass nose cone with grounding cable, RJ11 connection cord, Base slide plate, Lower base and vertical upright that the WHEV head rides on, 2 black pressurized air hoses, 12v MAC valve, Argon splitter.

12,000



CNCC CNC Cartesian Robot and controls for automated Orion EV Welding

System w/pendant (Robot only, Weld Head not included)

 CNCC-6050 - 600mm x 500mm x 100mm Travel
 23,550

 CNCC-5050 - 500mm x 500mm x 100mm Travel
 23,150

 CNCC-4040 - 400mm x 400mm x 100mm Travel
 22,850

 CNCC-3030 - 300mm x 300mm x 100mm Travel
 22,650



CNCJ CNC Robot and controls for automated Orion EV Welding

 System w/pendant (Robot only, Weld Head not included)
 23,150

 CNCJ-5160 - 510mm x 600mm x 150mm Travel
 22,650

 CNCJ-5151 - 510mm x 510mm x 150mmTravel
 22,650

 CNCJ-4040 - 400mm x 400mm x 150mmTravel
 20,150


 CNCJ-3032 - 300mm x 320mm x 100mm Travel
 17,850

 CNCJ-2020 - 200mm x 200mm x 50mm Travel
 14,550



CNCP CNC Table and controls for automated Orion EV Welding System

CNCP-3750 - 37" x 50" x 5" Travel 11,850 CNCP-2550 - 25" x 50" x 5" Travel 11,450 CNCP-2537 - 25" x 37" x 5" Travel 10,850 CNCP-2525 - 25" x 25" x 5" Travel 10,550





<b>BATTERY</b>	WELDING - ACCESSORIES		
SNPSP	Nickel Precut Sample Pack.	30	
SN0625N34 0.08L	0.0625" wide x 0.003" thick x 0.08" length pre-cut tabs .	20	-
SN125N34 .8L	0.125"w x 0.003"t x 0.80"L pre-cut nickel strip 250pc.	20	
SN125N54 .75L	0.125"w x 0.005"t x 0.75"L pre-cut nickel strip 250pc.	20	
SN250N54 1.125L	0.25"w x 0.005"t x 1.125"L pre-cut nickel strip 250pc.	20	
SN375N54 1.125L	0.375"w x 0.005"t x 1.125"L pre-cut nickel strip 250pc.	20	
Custom Nickel	Custom sizes available	Call For Pricing	
SN Spooled Sample	Nickel Spool Sample Pack.	30	
SN0625N34	0.0625" x 0.003" Nickel Strip, 25 ft. spool.	20	
SN125N34	0.125"w x 0.003"t x 25"L spooled nickel strip.	20	
SN125N54	0.125"w x 0.005"t x 25"L spooled nickel strip.	20	
SN250N54	0.250'w x 0.005"t x 25"L spooled nickel.	20	
SN375N54	0.375" x 0.005" x 25"L spooled nickel strip.	20	
Custom Nickel	Custom sizes available	Call For Pricing	
Spooled Copper SC500N10	Copper Spool 0.500"w x 0.010"t spooled copper strip. 25 ft. spool.	30	
Fish Paper	8.75" x 11.75" Adhesive Fish Paper (10 sheets) 0.010 thick.	30	
Shrink Wrap	100's of options available. Please inquire for prices. Specifications needed: diameter of tube, thickness of wall, color and length.	Call	



PART NUMBER	DESCRIPTION	PRICE (USD) PRODUCT PICTURE
TM6.8KR	Battery Pack Thermistor – Milwaukee Hitachi Hilti	1.75
TM10KA	Battery Pack Thermistor — Snap-On	0.60
TM10KARB	Battery Pack Thermistor — Dewalt Rigid Makita	1.50

## **RESITANCE WELDING - ACCESSORIES**

ESHC	External Switch Hookup Cable.	15	
Foot Switch – HDMI	Foot Switch with HDMI connector for welders.	50	
Foot Switch 3 Pin	Foot Switch 3 Pin.	50	

### Mail:

Sunstone Welders 1693 American Way #5 Payson, UT 84651

### Voice:

877-0786-WELD 877-786-9353 +1-801-658-0015

#### Fax:

866-701-1209

#### Email:

sales@sunstonewelders.com jason.davis@sunstonewelders.com