

Drink Reframe  
 Order No.: OMIDRE0123-0004482  
 617 E Hazel St  
 Lansing, Michigan, 48912  
 7044721680

Sample: SMIDRE0123-IBEV-0001361  
 Unit Weight: 60.0000g  
 Sample Size: 12.0000 Units  
 Sample Received: 01/23/2025 01:16  
 Report Created: 01/27/2025 18:07  
 Sampling SOP 204

24.148 - Reframe - Shot  
 Ingestible, Beverage



## Results

<b>4.736 mg/unit</b> D9-THC	
<b>0.000 mg/unit</b> Total CBD	<b>4.736 mg/unit</b> Total THC
<b>4.736 mg/unit</b> Total Cannabinoids	<b>0%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Pass	<b>Terpenes</b> Tested
<b>VEA / MCT Oil</b> Not Tested	<b>Phytol</b> Tested	<b>Residual Solvents</b> Pass
<b>Mycotoxins</b> Not Tested	<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass
<b>Miscellaneous</b> Tested		

## Dominant Terpenes

No terpenes detected

Drink Reframe  
 Order No.: OMIDRE0123-0004482  
 617 E Hazel St  
 Lansing, Michigan, 48912  
 7044721680

Sample: SMIDRE0123-IBEV-0001361  
 Unit Weight: 60.0000g  
 Sample Size: 12.0000 Units  
 Sample Received: 01/23/2025 01:16  
 Report Created: 01/27/2025 18:07  
 Sampling SOP 204

24.148 - Reframe - Shot  
 Ingestible, Beverage



## Cannabinoids

SOP 801, SOP 301

Tested

Analyte	LOQ (%)	%	mg/g	mg/unit
CBDVa	0.000	ND	ND	ND
CBDV	0.000	ND	ND	ND
CBDa	0.000	ND	ND	ND
CBGa	0.000	ND	ND	ND
CBG	0.000	< LOQ	< LOQ	< LOQ
CBD	0.000	ND	ND	ND
THCV	0.000	ND	ND	ND
THCVa	0.000	ND	ND	ND
CBN	0.000	< LOQ	< LOQ	< LOQ
D9-THC	0.000	<b>0.008</b>	<b>0.08</b>	<b>4.736</b>
D8-THC	0.000	ND	ND	ND
CBC	0.000	< LOQ	< LOQ	< LOQ
THCa	0.000	ND	ND	ND
CBCa	0.000	ND	ND	ND
Total CBD		0.000	0.00	0.000
Total THC		<b>0.008</b>	<b>0.08</b>	<b>4.736</b>
Total Cannabinoids		<b>0.008</b>	<b>0.08</b>	<b>4.736</b>

**Notes:**  
 Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD.  
 LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

## Microbials

SOP 401-MI, SOP 425, SOP 418-MI

Pass

Analyte	Limit (CFU/g)	CFU/g	Status
Coliforms	100	ND	Passed
Salmonella	0	ND	Passed
Aspergillus Flavus	0	ND	Passed
Aspergillus Fumigatus	0	ND	Passed
Aspergillus Niger	0	ND	Passed
Aspergillus Terreus	0	ND	Passed
Aspergillus Species	0	ND	Passed
STEC E. Coli	0	ND	Passed
Yeast & Mold QL	10,000	ND	Passed

**Notes:**  
 TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specification established by the Laboratory

## Foreign Matter

SOP 203-MI  
 Date/Time Tested: 01/27/2025  
 16:04

Pass

Analyte	%
FM Stems	0.00
FM Organic	0.00
FM Inorganic	Absent

Drink Reframe  
 Order No.: OMIDRE0123-0004482  
 617 E Hazel St  
 Lansing, Michigan, 48912  
 7044721680

Sample: SMIDRE0123-IBEV-0001361  
 Unit Weight: 60.0000g  
 Sample Size: 12.0000 Units  
 Sample Received: 01/23/2025 01:16  
 Report Created: 01/27/2025 18:07  
 Sampling SOP 204

24.148 - Reframe - Shot  
 Ingestible, Beverage



## Terpenes

SOP 603-MI

Tested

Analyte	LOQ (%)	mg/g	%	Analyte	LOQ (%)	mg/g	%
Total Terpenes		ND	ND	Valencene	0.0075	ND	ND
a-Pinene	0.0075	ND	ND	cis-Nerolidol	0.0075	ND	ND
Camphene	0.0075	ND	ND	trans-Nerolidol	0.0075	ND	ND
Sabinene	0.0075	ND	ND	Guaiol	0.0075	ND	ND
b-Pinene	0.0075	ND	ND	Caryophyllene Oxide	0.0075	ND	ND
b-Myrcene	0.0075	ND	ND	Cedrol	0.0075	ND	ND
a-Phellandrene	0.0075	ND	ND	a-Bisabolol	0.0075	ND	ND
d-3-Carene	0.0075	ND	ND	m-Cymene	0.0075	ND	ND
a-Terpinene	0.0075	ND	ND	trans-b-Ocimene	0.0075	ND	ND
Limonene	0.0075	ND	ND	cis-b-Ocimene	0.0075	ND	ND
Eucalyptol	0.0075	ND	ND	o-Cymene	0.0075	ND	ND
g-Terpinene	0.0075	ND	ND	a-Thujone	0.0075	ND	ND
Terpinolene	0.0075	ND	ND	Menthone	0.0075	ND	ND
Fenchol	0.0075	ND	ND	Terpinen-4-ol	0.0075	ND	ND
Sabinene Hydrate	0.0150	ND	ND	Isomenthone	0.0075	ND	ND
Linalool	0.0075	ND	ND	Safranal	0.0075	ND	ND
Fenchone	0.0075	ND	ND	Citronellol	0.0075	ND	ND
Isopulegol	0.0075	ND	ND	Octyl Acetate	0.0075	ND	ND
Camphor	0.0075	ND	ND	Verbenone	0.0075	ND	ND
Isoborneol	0.0075	ND	ND	d-Valerolactam	0.0075	ND	ND
DL-Menthol	0.0075	ND	ND	cis-Citral	0.0075	ND	ND
Borneol	0.0075	ND	ND	Thymol	0.0075	ND	ND
Terpineol	0.0075	ND	ND	s-Carvone	0.0075	ND	ND
Nerol	0.0075	ND	ND	Carvacrol	0.0149	ND	ND
r-Pulegone	0.0075	ND	ND	trans-b-Farnesene	0.0075	ND	ND
Geranyl Acetate	0.0075	ND	ND	Farnesol	0.0075	ND	ND
a-Cedrene	0.0075	ND	ND	Phytane	0.0075	ND	ND
b-Caryophyllene	0.0075	ND	ND	Nootkatone	0.0075	ND	ND
a-Humulene	0.0075	ND	ND	p-Cymene	0.0075	ND	ND

**Notes:**  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.



*Joe Albarran*

**Joe Albarran**  
 Laboratory Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

SC-000018,AU-SC-000106  
ACT Laboratories (MI)  
617 E. Hazel, Lansing, Michigan  
8448228522  
joea@actlab.com

Compliance

Adult Use

4 of 7

## Drink Reframe

Order No.: OMIDRE0123-0004482  
617 E Hazel St  
Lansing, Michigan, 48912  
7044721680

Sample: SMIDRE0123-IBEV-0001361

Unit Weight: 60.0000g  
Sample Size: 12.0000 Units  
Sample Received: 01/23/2025 01:16  
Report Created: 01/27/2025 18:07  
Sampling SOP 204

24.148 - Reframe - Shot  
Ingestible, Beverage



## Phytol

SOP 806-MI

Tested

Analyte	LOQ (ppm)	%
Phytol	1,097.54	ND

## Residual Solvents

SOP 601-MI

Pass

Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0	5	ND	Passed
Acetone	3	5,000	ND	Passed
Acetonitrile	2	410	ND	Passed
Benzene	0	2	ND	Passed
n-Butane	27	5,000	ND	Passed
Chloroform	0	60	ND	Passed
Ethanol	3	5,000	ND	Passed
Ethyl Acetate	4	5,000	ND	Passed
Ethyl Ether	5	5,000	ND	Passed
Ethylene Oxide	0	50	ND	Passed
Heptane	8	5,000	ND	Passed
n-Hexane	13	290	ND	Passed
Isopropyl Alcohol	1	5,000	ND	Passed
Isobutane	27	5,000	ND	Passed
Methanol	5	3,000	ND	Passed
Methylene Chloride	0	600	ND	Passed
Propane	10	5,000	ND	Passed
Toluene	5	890	ND	Passed
Trichloroethylene	0	80	ND	Passed
Xylenes	12	2,170	ND	Passed
Neopentane	13	5,000	ND	Passed
Isopentane	27	5,000	ND	Passed
n-Pentane	15	5,000	ND	Passed
2,2-Dimethyl-Butane	15	290	ND	Passed
2,3-Dimethyl-Butane	15	290	ND	Passed
2-Methyl-Pentane	271	290	ND	Passed
3-Methyl-Pentane	15	290	ND	Passed
Total Butanes	7	5,000	ND	Passed
Total Hexanes	3	290	ND	Passed
Total Pentanes	4	5,000	ND	Passed



*Joe Albarran*

**Joe Albarran**  
Laboratory Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

SC-000018,AU-SC-000106  
ACT Laboratories (MI)  
617 E. Hazel, Lansing, Michigan  
8448228522  
joea@actlab.com

Compliance

Adult Use

5 of 7

## Drink Reframe

Order No.: OMIDRE0123-0004482  
617 E Hazel St  
Lansing, Michigan, 48912  
7044721680

Sample: SMIDRE0123-IBEV-0001361

Unit Weight: 60.0000g  
Sample Size: 12.0000 Units  
Sample Received: 01/23/2025 01:16  
Report Created: 01/27/2025 18:07  
Sampling SOP 204

24.148 - Reframe - Shot

Ingestible, Beverage



## Heavy Metals

SOP 901-MI, SOP 914

Pass

Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status
Arsenic	0.072	1.500	ND	Passed
Cadmium	0.072	0.500	ND	Passed
Chromium	0.072	2.000	< LOQ	Passed
Copper	0.722		<b>10.6782</b>	Tested
Mercury	0.072	3.000	ND	Passed
Nickel	0.217		< LOQ	Tested
Lead	0.217	0.500	ND	Passed

### Notes:

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.**



**Joe Albarran**  
Laboratory Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Drink Reframe  
 Order No.: OMIDRE0123-0004482  
 617 E Hazel St  
 Lansing, Michigan, 48912  
 7044721680

Sample: SMIDRE0123-IBEV-0001361  
 Unit Weight: 60.0000g  
 Sample Size: 12.0000 Units  
 Sample Received: 01/23/2025 01:16  
 Report Created: 01/27/2025 18:07  
 Sampling SOP 204

24.148 - Reframe - Shot  
 Ingestible, Beverage



## Pesticides

SOP 804-MI, SOP 814-MI

Pass

Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status	Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.25	0.5	ND	Passed	Imazalil	0.1	0.2	ND	Passed
Acephate	0.2	0.4	ND	Passed	Imidacloprid	0.2	0.4	ND	Passed
Acequinocyl	1	2	ND	Passed	Kresoxim Methyl	0.2	0.4	ND	Passed
Acetamiprid	0.1	0.2	ND	Passed	Malathion	0.1	0.2	ND	Passed
Aldicarb	0.2	0.4	ND	Passed	Metalaxyl	0.1	0.2	ND	Passed
Azoxystrobin	0.1	0.2	ND	Passed	Methiocarb	0.1	0.2	ND	Passed
Bifenazate	0.1	0.2	ND	Passed	Methomyl	0.2	0.4	ND	Passed
Bifenthrin	0.1	0.2	ND	Passed	MGK-264	0.1	0.2	ND	Passed
Boscalid	0.2	0.4	ND	Passed	Myclobutanil	0.1	0.2	ND	Passed
Carbaryl	0.1	0.2	ND	Passed	Naled	0.25	0.5	ND	Passed
Carbofuran	0.1	0.2	ND	Passed	Oxamyl	0.5	1	ND	Passed
Chlorantraniliprole	0.1	0.2	ND	Passed	Paclobutrazol	0.2	0.4	ND	Passed
Chlorpyrifos	0.1	0.2	ND	Passed	Permethrin	0.1	0.2	ND	Passed
Clofentezine	0.1	0.2	ND	Passed	Phosmet	0.1	0.2	ND	Passed
Cyfluthrin	0.5	1	ND	Passed	Prallethrin	0.1	0.2	ND	Passed
Cypermethrin	0.5	1	ND	Passed	Propiconazole	0.2	0.4	ND	Passed
Daminozide	0.5	1	ND	Passed	Propoxur	0.1	0.2	ND	Passed
Diazinon	0.1	0.2	ND	Passed	Pyrethrins	0.5	1	ND	Passed
Dichlorvos	0.5	1	ND	Passed	Pyridaben	0.1	0.2	ND	Passed
Dimethoate	0.1	0.2	ND	Passed	Spinosyn AD	0.1	0.2	ND	Passed
Ethoprophos	0.1	0.2	ND	Passed	Spiromesifen	0.1	0.2	ND	Passed
Etofenprox	0.2	0.4	ND	Passed	Spirotetramat	0.1	0.2	ND	Passed
Etoazole	0.1	0.2	ND	Passed	Spiroxamine	0.2	0.4	ND	Passed
Fenoxycarb	0.1	0.2	ND	Passed	Tebuconazole	0.2	0.4	ND	Passed
Fenpyroximate	0.2	0.4	ND	Passed	Thiacloprid	0.1	0.2	ND	Passed
Fipronil	0.2	0.4	ND	Passed	Thiamethoxam	0.1	0.2	ND	Passed
Flonicamid	0.5	1	ND	Passed	Trifloxystrobin	0.1	0.2	ND	Passed
Fludioxonil	0.2	0.4	ND	Passed	Methyl Parathion	0.1	0.2	ND	Passed
Hexythiazox	0.5	1	ND	Passed	Chlorfenapyr	0.5	1	ND	Passed

**Notes:**  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.



*Joe Albarran*

**Joe Albarran**  
 Laboratory Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Adult Use

SC-000018,AU-SC-000106  
ACT Laboratories (MI)  
617 E. Hazel, Lansing, Michigan  
8448228522  
joea@actlab.com

7 of 7

## Drink Reframe

Order No.: OMIDRE0123-0004482  
617 E Hazel St  
Lansing, Michigan, 48912  
7044721680

Sample: SMIDRE0123-IBEV-0001361

Unit Weight: 60.0000g  
Sample Size: 12.0000 Units  
Sample Received: 01/23/2025 01:16  
Report Created: 01/27/2025 18:07  
Sampling SOP 204

24.148 - Reframe - Shot

Ingestible, Beverage



## Miscellaneous

SOP 104-MI

Tested

### Analyte

pH

ph

3.13



**Joe Albarran**  
Laboratory Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.