

# WINDOWS & PATIO DOORS



# WHY TERRY'S?

## **BENEFITS FOR YOU:**

- Factory-direct, American-made products
- Higher efficiency = lower cost
- Unbeatable lifetime limited warranty
- Improved comfort and appearance for your home
- Minimal maintenance
- Licensed, insured, and bonded
- Will beat competitor's prices on comparable products

Terry's Discount Windows & More provides some of the best high-performance, energy-efficient windows in the industry. Our windows look great and offer a wide array of options to complement your personal style and taste. Through quality manufacturing and high-level testing, you will see why our windows are the best investment for your home. We know we can provide the solution that will exceed your expectations.

As a factory-direct company, there is no middle man. We are able to negotiate better pricing for top-quality products at discount prices. We buy quality in quantity, which means savings to our customers.

Terry's Discount Windows & More is an award-winning, 5-star company with national, regional and local recognition, located in Valparaiso, IN. Our company has been family-owned and operated since 2003. Terry brings more than 35 years of experience in the industry. During our tenure, we have had thousands of happy customers, many of whom are repeat customers. Terry's is one of the fastest growing and largest window, siding, and door companies in Northwest Indiana. Our goal is to give our customers peace of mind knowing they are working with a business guided by Christian values and principles.

Based on integrity, we strive to be a name you can trust. Our top priority is to provide 100 percent customer satisfaction, which helps Terry's stand apart from the competition. If a problem arises, we will do everything in our power to rectify the situation. As such, we have achieved the highest rating that the Better Business Bureau offers, which is the A+ rating. We are also members in good standing with the local Chamber of Commerce and Builders Association. We have over 35 local and national awards for best window and siding company as well, along with #1 customer service company.

## LET OUR EXPERTS IDENTIFY THE IDEAL SOLUTION FOR YOU.

We take great pride in our highly knowledgeable, friendly staff and personalized customer service. FREE in-home estimates and energy inspections as well as senior citizen and military discounts are what our customers can expect. Financing options are available, and we accept major credit cards.

Our installers are hand-selected, master-certified installers, who work exclusively for Terry's. They set the benchmark in the area for top-quality workmanship, cleanliness, professionalism, efficiency, and friendliness.

"WE STRIVE TO PROVIDE HIGH QUALITY, LOW MAINTENANCE, AMERICAN-MADE PRODUCTS, AT THE BEST PRICE, TO MEET THE NEEDS OF OUR CUSTOMERS AND HELP CREATE A COMFORTABLE ENVIRONMENT FOR THEM TO CALL HOME."

-Terry Keeler











## **PLATINUM WINDOW FEATURES & BENEFITS**



**REAL WOOD INTERIOR** 

Aeris<sup>™</sup> windows feature factoryfinished Oak, Cherry or Maple wood applied to the sash and frame interior.



**FRAME** 

Aeris windows are constructed with a 31/4" vinyl frame. Both the sash and frame are welded for increased strength.



**GLASS PACKAGE** 

Aeris windows feature a 1" ComforTech™ Insulated Glass Unit. A DLA-UV glass package is standard.



INSULATION

A graphite foam insulation is added to the frame, providing greater energy efficiency and performance.



**BARRIER-FIN** WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



**BULB SEAL** WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



**EXTRUDED ALUMINUM** SCREEN FRAME

A rigid and durable frame that holds the screen mesh in place and is easy to remove for cleaning and maintenance.



**BETTERVUE®** FIBERGLASS MESH

This mesh is very durable and flame retardant, providing an enhanced view, increased insect protection and improved airflow.




FLEXSCREEN® (OPTIONAL)

A great alternative screen frame option that is easy to install. It perfectly hides within the window frame, drastically improving sight lines. This is standard on painted exterior windows.



PROFILE™ DA LOCKS\*

"DA" stands for "Dual Action" - it locks and tilts the window, all in one motion.



**INTEGRAL INTERLOCK\*** 

The top and bottom sashes come together with an extruded (integral) interlock to ensure stability when locking the window.



**BALANCE SYSTEM\*** 

The Constant Force balance system allows the top and bottom sashes on a Double Hung window to effortlessly slide up and down.

<sup>\*</sup> Applies to Double Hung Windows.



## **GOLD WINDOW FEATURES & BENEFITS**



#### FINELINE™ TECHNOLOGY

This innovative welding process creates an aesthetically appealing corner. Standard on laminated and painted windows.



#### REINFORCEMENT

INNERGY® Thermal Reinforcements are the innovative, energy-efficient alternative to aluminum with added insulating properties making it 700x better.



#### **GLASS PACKAGE**

Endure™ windows feature a ¾" ComforTech™ Insulated Glass Unit. A DLA-UV glass package is standard.



#### **INSULATION**

A graphite foam insulation is added to the frame, providing greater energy efficiency and performance.



#### BARRIER-FIN WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



#### BULB SEAL WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



#### **FRAME**

Endure windows are constructed with a 31/4" vinyl frame. Both the sash and frame are welded for increased strength.



### **SCREEN FRAME AND MESH**

Endure windows have a durable and rigid extruded aluminum screen frame with BetterVue® fiberglass mesh, which provides an enhanced view, increased insect protection and improved airflow.



### FLEXSCREEN® (OPTIONAL)

A great alternative screen frame option that is easy to install. It perfectly hides within the window frame, drastically improving sight lines. This is standard on painted exterior windows.



## PROFILE™ DA LOCKS\*

"DA" stands for "Dual Action"- it locks and tilts the window, all in one motion.



#### INTEGRAL INTERLOCK\*

The top and bottom sashes come together with an extruded (integral) interlock to ensure stability when locking the window.




#### **BALANCE SYSTEM\***

The Constant Force balance system allows the top and bottom sashes on a Double Hung window to effortlessly slide up and down.

<sup>\*</sup> Applies to Double Hung Windows.




## SILVER WINDOW FEATURES & BENEFITS



REINFORCEMENT

INNERGY® Thermal Reinforcements are the innovative, energy-efficient alternative to aluminum with added insulating properties making it 700x better.



**GLASS PACKAGE** 

Aspect™ windows feature a ¾" ComforTech™ insulated glass unit. A DLA glass package is standard.



**INSULATION (OPTIONAL)** 

A graphite foam insulation can be added to the frame, providing greater energyefficiency and performance.



BARRIER-FIN WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



BULB SEAL WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



**FRAME** 

Aspect windows are constructed with a 31/4" vinyl frame. Both the sash and frame are welded for increased strength.



**ROLL FORM SCREEN FRAME** 

A sturdy frame that holds the screen mesh in place and is easy to remove for cleaning and maintenance.



BETTERVUE® FIBERGLASS MESH

This mesh is very durable and flame retardant, providing an enhanced view, increased insect protection and improved airflow.



FLEXSCREEN® (OPTIONAL)

A great alternative screen frame option that is easy to install. It perfectly hides within the window frame, drastically improving sight lines.



PROFILE™ SA LOCKS\*

SA stands for "Single Action" - it locks the window with a simple sweep.



#### INTEGRAL INTERLOCK\*

The top and bottom sashes come together with an extruded (integral) interlock to ensure stability when locking the window.




#### **BALANCE SYSTEM\***

The Constant Force balance system allows the top and bottom sashes on a Double Hung window to effortlessly slide up and down.

<sup>\*</sup> Applies to Double Hung Windows.

# **BAY AND BOW FEATURES**

Available in all window series



- A Head
- B Side Jamb
- Seat Board: 1¼" Furniture Grade Oak or Birch Veneer.
- **Edge Banding:** Exposed plywood interior edges of the head, seat and side jambs are covered with matching wood edge banding.
- Our solid wood mullion design is lag bolted to the head and seat for maximum strength and support. This unique design is made out of TimberStrand® laminated lumber.

TimberStrand is made from Aspen trees cut into thin strands and then dried and laminated together with a polyurethane resin. It is then pressed and steam injected to create a wood billet creating a strong and durable material that is 25% stronger than standard wood and will not absorb or release moisture.

Bay and Bow windows can be configured using a combination of Double Hung and Picture windows or Casement, Fixed Casement, and Awning Windows.

- This window panning system is the ultimate protection against water infiltration. The PVC panning profiles wrap around and are adhered to the vertical mullions and seat board creating an interior gutter system.
- G The exterior is PVC wrapped and painted to match the window exterior color.
- To ensure our windows will never bow or sag, we use adjustable turn-buckled cable support system to support the frame from the top with heavy-duty 6" hook and turnbuckle.
- Side Wedge
- **J** Mull Cap
- K Fully Insulated (Optional)
- Insulate to Jamb (Optional)



# **PLATINUM SERIES INTERIOR STAIN COLORS**



# **PAINT COLORS**

Paint colors can be applied to the interior and exterior of the Platinum Series. You can also upgrade to a painted exterior on the Gold Series.



<sup>\*</sup>Available on the exterior only.

TUFTEX" Smooth Cladding available in White, Café Cream, Beige, Sandstone, Tudor Brown, Bronze, Nightfall and Coal Black.

Always refer to our color selector for accurate color representation.

# **GOLD SERIES VINYL & LAMINATE COLORS**

|                               | INTERIOR COLORS |          |           |                         |                      |                                   |                                |
|-------------------------------|-----------------|----------|-----------|-------------------------|----------------------|-----------------------------------|--------------------------------|
|                               | White           | Beige    | Sandstone | Classic Oak<br>Laminate | Dark Oak<br>Laminate | Traditional<br>Cherry<br>Laminate | White<br>Woodgrain<br>Laminate |
| White                         | <b>~</b>        |          |           | <b>~</b>                | <b>~</b>             | <b>~</b>                          |                                |
| SE Beige                      |                 | <b>~</b> |           | <b>~</b>                | <b>~</b>             | <b>~</b>                          | <b>~</b>                       |
| Beige Sandstone               |                 |          | <b>~</b>  | <b>~</b>                | <b>~</b>             | <b>~</b>                          | <b>~</b>                       |
| Classic<br>Bronze<br>Laminate | <b>~</b>        |          |           | <b>~</b>                | <b>~</b>             | <b>~</b>                          |                                |

# **SILVER SERIES VINYL COLORS**





# **HARDWARE**

## PLATINUM & GOLD SERIES WINDOWS

Double Hung and Slider



Profile<sup>™</sup> DA Lock

Casement and Awning



Lock Out Crank Handle

The lock-out feature prevents the handle from closing prematurely while operating the window. The handle can be easily put in the closed position by engaging the lever on the back.

## SILVER SERIES WINDOWS

Double Hung and Slider



Profile<sup>™</sup> SA Lock May upgrade to Profile™ DA locks for Double Hung Windows.

Casement and Awning



Crank Handle

## **PLATINUM & GOLD SERIES PATIO DOORS**

Signature Hardware

available with and without keylock





## **SILVER SERIES PATIO DOORS**

Classic Hardware

available with and without keylock





**BEIGE** 

**SANDSTONE** 

**BLACK** 











# **FLEXSCREEN®**

- BEAUTIFULLY INVISIBLE
- DAMAGE RESISTANT
- EFFORTLESS INSTALLATION
- SIMPLE DESIGN



# **BETTERVUE® SCREEN MESH**



BetterVue insect screening with Water Shed Technology™ coating repels water, prevents dirt and debris from staying on the screen and remains cleaner longer. It is suitable for all window and patio screen door applications.

- · Durable, hydrophobic coating will not wash off
- · Sheds water and debris during rain storm
- · Increases life expectancy of the screening
- · Greater openness for better airflow and more natural light
- · GREENGUARD certified

# **GLASS PACKAGES**



# **GLASS OPTIONS**

## **EXTERNAL GRIDS (SIMULATED DIVIDED LITES)**

\*Available on all windows and on Platinum series patio doors.

Grids are applied to the glass on both the interior and exterior of the window. Choosing SDL's allows you to match your interior and exterior grids to the colors selected for your windows, including all standard, trending and custom painted exterior colors.



## **INTERNAL GRIDS**



Contoured

Pencil

Available in Satin Nickel, Brass

and Bronze (for windows only)



Flat



V-Groove Available in ¾"

## **PRIVACY GLASS**



Waterfall



Frosted

## **INTERNAL BLINDS**



White



Cream



Tan



Silver



Champagne



Black

## **PLATINUM PATIO DOOR FEATURES & BENEFITS**



**REAL WOOD INTERIOR** 

Aeris<sup>™</sup> patio doors feature factory-finished Oak, Cherry or Maple wood applied to the sash and frame interior.



REINFORCEMENT

Galvanized steel reinforces the panels and sill to ensure rigidity and stable operation.



**GLASS PACKAGE** 

Aeris patio doors feature a 1" ComforTech™ Insulated Glass Unit. A DLA-UV glass package is standard.



**INSULATION** 

A graphite foam insulation is added to the frame, providing greater energyefficiency and performance.



BARRIER-FIN WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



BULB SEAL WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



ALUMINUM SCREEN FRAME WITH BETTERVUE MESH

A rigid and durable frame that slides easily within the screen track. The mesh is very durable and provides a better view, insect protection and improved airflow.



SCREEN LATCH

A spring-loaded screen latch system automatically engages upon closing.



SLIDING SYSTEM

A patented sliding system, featuring four adjustable 1" wheels per operating panel, allows the sash to glide effortlessly on the sill.



ACCUVENT™

ProVia's® proprietary design featuring a sash lever combined with a top-mounted ratchet and lock system allowing multiple venting locations and peace of mind.



PATENTED WATER DRAINAGE SYSTEM

This allows water on the sill to drain to the exterior of the home.



PATIO SILL COVER

Sill cover is available in Anodized Aluminum and a **NEW** Black/Bronze finish. Standard on laminated and painted exterior patio doors.

## **GOLD PATIO DOOR FEATURES & BENEFITS**



FINELINE™ TECHNOLOGY

This innovative welding process creates an aesthetically appealing corner. Standard on laminated and painted patio doors.



REINFORCEMENT

Galvanized steel reinforces the panels and sill to ensure rigidity and stable operation.



**GLASS PACKAGE** 

Endure patio doors feature a 1" ComforTech Insulated Glass Unit. A DLA-UV glass package is standard.



INSULATION

A graphite foam insulation is added to the frame, providing greater energyefficiency and performance.



BARRIER-FIN WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



BULB SEAL WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



ALUMINUM SCREEN FRAME WITH BETTERVUE MESH

A rigid and durable frame that slides easily within the screen track. The mesh is very durable and provides a better view, insect protection and improved airflow.



SCREEN LATCH

A spring-loaded screen latch system automatically engages upon closing.



SLIDING SYSTEM

A patented sliding system, featuring four adjustable 1" wheels per operating panel, allows the sash to glide effortlessly on the sill.



ACCUVENT™

ProVia's® proprietary design featuring a sash lever combined with a top-mounted ratchet and lock system allowing multiple venting locations and peace of mind.



PATENTED WATER DRAINAGE SYSTEM

This allows water on the sill to drain to the exterior of the home.



PATIO SILL COVER


Sill cover is available in Anodized Aluminum and a **NEW** Black/Bronze finish. Standard on laminated and painted exterior patio doors.

## **SILVER PATIO DOOR FEATURES & BENEFITS**



REINFORCEMENT

Galvanized steel reinforces the panels and sill to ensure rigidity and stable operation.



**GLASS PACKAGE** 

Aspect patio doors feature a 1" ComforTech™ insulated glass unit. A DLA glass package is standard.



## **INSULATION (OPTIONAL)**

A graphite foam insulation is added to the frame, providing greater energy-efficiency and performance.



BARRIER-FIN WEATHERSTRIPPING

This weatherstripping provides a barrier against air, water, dust and noise.



BULB SEAL WEATHERSTRIPPING

This weatherstripping prevents water from penetrating the foam cell structure and has a unique UV-resistant barrier.



SLIDING SYSTEM

A patented sliding system, featuring four adjustable 1" wheels per operating panel, allows the sash to glide effortlessly on the sill.



ALUMINUM SCREEN FRAME

A rigid and durable frame that holds the screen mesh in place and is easy to slide within the screen track.



**SCREEN LATCH** 

A spring-loaded screen latch system automatically engages upon closing.



BETTERVUE® FIBERGLASS MESH

This mesh is very durable and flame retardant, providing an enhanced view, increased insect protection and improved airflow.



FOOTLOCK

In addition to the multi-point lock, this secondary security feature locks the active sash at the sill in two positions: completely closed or slightly open to allow air in.\*



ACCUVENT™ (OPTIONAL)

ProVia's proprietary design featuring a sash lever combined with a top-mounted ratchet and lock system allowing multiple venting locations and peace of mind.\*



PATENTED WATER DRAINAGE SYSTEM

This allows water on the sill to drain to the exterior of the home.

# UNDERSTANDING AIR INFILTRATION



#### WHAT IS AIR INFILTRATION AND IS IT BAD?

Air infiltration is a term that relates to air moving into a home through small spaces in doors, windows, skylights, and other means. This is the result of pressure differences between the inside and outside of the home. To some extent, every home, regardless of age or location, needs to "breathe" so that it is not completely airtight. Well-placed and installed windows allow for natural ventilation in the home. Fresh air is needed inside the home to help eliminate odors and pollutants harmful to human health. Fresh air also helps eliminate excessive moisture that harms the building structure and furnishings and is the source of mold and mildew growth.



#### HOW CAN SOMEONE KNOW IF A WINDOW, DOOR OR SKYLIGHT WILL ALLOW IN TOO MUCH AIR?

Look for a WDMA Hallmark certification label on the window to determine that the product has been designed to meet air infiltration standards. Determine if the product has been tested and authorized for WDMA Hallmark certification by researching the product in the WDMA Certified Product search.



## WHAT THREE FACTORS MOST AFFECT AIR INFILTRATION THROUGH WINDOWS, DOORS OR SKYLIGHTS?

- 1. **PROPER INSTALLATION OF THE UNIT** (per the manufacturer's instructions). It should be installed square, level and plumb, with insulation present around the rough opening and tucked up to the main frame.
- **2. OUTSIDE CONDITIONS** this includes the location of the product on the home, air temperature difference from inside to outside, wind speed and other weather factors.
- 3. **PRODUCT TYPE** A double hung or other operable unit will usually allow more air to pass into the home than a fixed unit (such as a picture window) because it's designed to open. Remember, when closed tightly, even certified operable units permit acceptable levels of air infiltration that may seem excessive.



## WHY DO SOME WINDOWS HAVE MORE AIR INFILTRATION THAN OTHERS?

A fixed window that does not open is the most airtight. Compression-sealed operable units, such as casements, are the next most airtight. Operable windows with sliding seals such as double hung and slider units are traditionally the least airtight. It may also be in a part of your home that does not get direct wind contact. All windows have some level of air infiltration. WDMA-certified products are designed to meet or exceed the industry standard of less than 0.3 cubic feet per minute.




#### REMEMBER:

- Care and maintenance of your windows is extremely important to ensure performance.
- ✓ The proper installation of the unit per the manufacturer's instructions is also integral to ensuring performance.

## Our windows are engineered and tested for minimum air infiltration and the best possible energy efficiency.

The infographic will help you visualize how much air leakage happens per minute by turning the Cubic Feet per Minute into the number of equivalent 12 oz. soda cans.





| Platinum Series Double Hung 40" x 63" |                                       |                       |  |  |  |
|---------------------------------------|---------------------------------------|-----------------------|--|--|--|
| Test                                  | Test Specification                    | Results               |  |  |  |
| Air                                   | ASTM E 283                            | 0.15 cfm/ft² @ 25 mph |  |  |  |
| Water                                 | ASTM E 547                            | 9.19 psf              |  |  |  |
| Structural                            | AAMA/WDMA/CSA 101/I.S.2/A440-8 and 11 | DP55 148 mph          |  |  |  |

Test data is a result of sizes shown, configurations and lab conditions of a certified independent third-party laboratory. The data above is based on double strength glass. Other build configurations will produce different results.



| Gold Series Double Hung 44" x 75" |                                       |                       |  |  |
|-----------------------------------|---------------------------------------|-----------------------|--|--|
| Test                              | Test Specification                    | Results               |  |  |
| Air                               | ASTM E 283                            | 0.05 cfm/ft² @ 25 mph |  |  |
| Water                             | ASTM E 547                            | 7.52 psf              |  |  |
| Structural                        | AAMA/WDMA/CSA 101/I.S.2/A440-8 and 11 | DP50 141 mph          |  |  |

Test data is a result of sizes shown, configurations and lab conditions of a certified independent third-party laboratory. The data above is based on double strength glass.

Other build configurations will produce different results.




| Silver Series Double Hung 44" x 75" |                                       |                          |  |  |
|-------------------------------------|---------------------------------------|--------------------------|--|--|
| Test                                | Test Specification                    | Results                  |  |  |
| Air                                 | ASTM E 283                            | 0.08 cfm/ft² @ 25<br>mph |  |  |
| Water                               | ASTM E 547                            | 7.52 psf                 |  |  |
| Structural                          | AAMA/WDMA/CSA 101/I.S.2/A440-8 and 11 | DP40 125 mph             |  |  |

Test data is a result of sizes shown, configurations and lab conditions of a certified independent third-party laboratory. The data above is based on single strength glass.

Other build configurations will produce different results.

## —PLATINUM SERIES— **WINDOW AND PATIO STYLES FEATURES** 2 & 3 LITE SLIDER **DOUBLE HUNG** 3 1/4" FRAME DEPTH 3 1/4" VINYL EXTERIOR / WOOD CLAD INTERIOR Welded Frame & Sash CONSTRUCTION Welded Frame & Sash Interior **GLAZING** Interior INTERIOR AND EXTERIOR **ACCESSORY GROOVES GRAPHITE POLYSTYRENE** FOAM INSULATION Barrier Fin & Bulb Seal Barrier Fin & Bulb Seal WEATHERSTRIPPING COMFORTECH™ DLA-UV 1" 1" **GLAZING SYSTEM EXTRUDED ALUMINUM** Full Full SCREEN FRAME **BETTERVUE® FIBERGLASS** MESH **FLEXSCREEN®** Optional+ Optional+ Profile™DA Profile<sup>™</sup> SA LOCKS/HARDWARE (single action) (dual action) INTEGRAL INTERLOCK ADDITIONAL HARDWARE Tilt Latches **BALANCE SYSTEM** Block & Tackle **WEEP HOLES** • Wood Lift at Lock Rail • Brass Rollers **ADDITIONAL FEATURES** • Top Sash Retention • Anchor Stops (3-Lite)

<sup>+</sup>Standard on painted exterior units.




<sup>\*</sup> Internal blinds in Casement and Awning windows cannot be operated while the screen is in place.


To open or close the blinds, the screen must first be removed.

# —GOLD SERIES— WINDOW AND PATIO STYLES

## **FEATURES**








| ~ ~ ~ | •          | <br>_ |        |      |    |
|-------|------------|-------|--------|------|----|
| ,,    | •          | _     | $\sim$ | 11 ) | ER |
|       | <b>x</b> - | _     | ᅩ      | -    |    |

| CASEMENT | & AWNI | NG |
|----------|--------|----|
|----------|--------|----|

| FRAME DEPTH                             | 3 1/4"  | 3 ¼"  | 3 ¼"   |  |
|---|---|---|--|--|
| VINYL                                   | Sunshield®  | Sunshield®  | Sunshield®   |  |
| CONSTRUCTION                            | Welded Frame & Sash   | Welded Frame & Sash   | Welded Frame & Sash  |  |
| FINELINE WELDED CORNERS                 | Optional*   | Optional*   | Optional*  |  |
| GLAZING                                 | Exterior  | Exterior  | Exterior   |  |
| SASH PROFILE SHAPE                      | Cove  | Cove  | Square   |  |
| INTERIOR AND EXTERIOR ACCESSORY GROOVES | <b>~</b>  | <b>~</b>  | <b>~</b>   |  |
| GRAPHITE POLYSTYRENE FOAM INSULATION    | <b>✓</b>  | ~   | <b>~</b>   |  |
| REINFORCEMENTS                          | Innergy®  | Innergy®  | Innergy®   |  |
| WEATHERSTRIPPING                        | Barrier Fin & Bulb Seal   | Barrier Fin & Bulb Seal                                       | Bulb Seal  |  |
| COMFORTECH™ DLA-UV<br>GLAZING SYSTEM    | 3/4"  | 3/4"  | 3/4"   |  |
| EXTRUDED ALUMINUM<br>SCREEN FRAME       | Half  | Half  | Full   |  |
| BETTERVUE® FIBERGLASS<br>MESH           | <b>~</b>  | <b>~</b>  | <b>~</b>   |  |
| FLEXSCREEN®                             | Optional+   | Optional+   |  |  |
| LOCKS/HARDWARE                          | Profile <sup>™</sup> DA<br>(dual action)  | Profile™ SA<br>(single action)                                | Lock Out Crank Handle  |  |
| INTEGRAL INTERLOCK                      | ~   | ~   |  |  |
| ADDITIONAL HARDWARE                     | Tilt Latches and<br>Dual Vent Locks   | Vent Lock   | Washability Hinge &<br>Corner Drive System<br>(casement only)                                  |  |
| BALANCE SYSTEM                          | Block & Tackle  |   |  |  |
| WEEP HOLES                              | <b>✓</b>  | <b>~</b>  | <b>~</b>   |  |
| ADDITIONAL FEATURES                     | <ul><li>Integral Interlock at<br/>Meeting Rail</li><li>Top Sash Retention</li></ul> | <ul><li>Brass Rollers</li><li>Anchor Stops (3-Lite)</li></ul> | Optional Stainless Steel     Hardware      Quick Release Dual Arm Operator (Standard - Awning) |  |

<sup>\*</sup>Standard on laminated and painted units.

<sup>+</sup>Standard on painted exterior units.





## **FEATURES**








2 & 3 LITE SLIDER

| VINYL                                   | Sunshield® Sunshield®               |   | Sunshield®   |  |
|---|-------------------------------------|---|--|--|
|   |                                     |   |  |  |
| GLAZING                                 | Exterior                            | Exterior  | Exterior   |  |
|   |                                     |   |  |  |
| INTERIOR AND EXTERIOR ACCESSORY GROOVES | ~                                   | <b>✓</b>  | <b>✓</b>   |  |
|   |                                     |   |  |  |
| REINFORCEMENTS                          | Innergy®                            | Innergy®  | Innergy®   |  |
|   |                                     |   |  |  |
| COMFORTECH™ DLA<br>GLAZING SYSTEM       | 3/4"                                | 3/4"  | 3/4"   |  |
|   |                                     |   |  |  |
| BETTERVUE® FIBERGLASS<br>MESH           | ~                                   | <b>✓</b>  | <b>✓</b>   |  |
|   |                                     |   |  |  |
| LOCKS/HARDWARE                          | Profile™ SA<br>(single action)      | Profile™ SA<br>(single action)                                | Crank Handle   |  |
|   |                                     |   |  |  |
| ADDITIONAL HARDWARE                     | Tilt Latches and<br>Dual Vent Locks | Vent Lock   | Washability Hinge &<br>Corner Drive System<br>(casement only)  |  |
|   |                                     |   |  |  |
| WEEP HOLES                              | ~                                   | ~   | <b>✓</b>   |  |
| ADDITIONAL FEATURES                     | • Top Sash Retention                | <ul><li>Brass Rollers</li><li>Anchor Stops (3-Lite)</li></ul> | <ul> <li>Optional Stainless Steel         Hardware     </li> <li>Quick Release Dual Arm         Operator (Standard - Awning)     </li> </ul> |  |



<sup>\*</sup> Internal blinds in Casement and Awning windows cannot be operated while the screen is in place.

To open or close the blinds, the screen must first be removed.

See the following pages for information on Garden and Bay/Bow windows.



## LIFETIME WARRANTY

Our lifetime limited warranty is designed to protect your investment and our reputation. It guarantees that our windows will not rot, rust, warp, pit, corrode or blister, and that our vinyl colors will remain true for the life of your home. Our lifetime warranty is non-prorated and is fully transferable. We also warrant all moving parts and the hermetically insulated seal against defects in materials or workmanship. Finally, we offer the ultimate in protection with a lifetime glass breakage rider for extra peace of mind on our Ultimate and Elite windows (optional on Prime windows). Ask your representative for a copy of the warranty to review terms and conditions.



## A NAME YOU CAN TRUST

1153 MARSH STREET, SUITE A VALPARAISO, IN 46385 P:219-476-0400



1020 E MCKINLEY AVE UNIT 104 MISHAWAKA, IN 46545

www.terrysdiscountwindows.com