



Meeting room management is a Breeze





When it comes to managing your meeting rooms, the SignWave™ BRZ-10US makes it easy to create and customize room displays. Quickly publish one or multiple events in real-time. The BRZ-10US offers an exceptional solution with a minimal footprint.

- **©** Easily Mounts to Any Surface Including Glass
- Power-over-Ethernet (PoE+) Ready
- Slim Display Measures 1.1" From Wall
- Reliable & Secure Data Via SIGNWAVE Widget









Meeting room management is a Breeze



















Google Calendar

Advanced Features



Multi-Touch Screen

The durable, multi-touch screen with Active Shielding technology ensures accurate contact, even with wet fingers.



SignWave Widget

SignWave connects to your property EMS or PMS software reliably and securely via the cloud-based Breeze Digital Signage system.



CE | FCC | RoHS Certified

SignWave is certified and meets all requirements for PC devices. It meets CE, FCC and RoHS standards for low voltage devices.

Installation Highlights



Built-In PoE+

Built-in Power-over-Ethernet simplifies installation and eliminates messing with 3rd party add-ons, assuring you of the simplest yet most reliable installation possible.



Ultra Slim Chassis

The BRZ-10 US provides a sleek design solution with a depth of 0.82" from the wall. The well-designed encasement and POE+ connection ensures a clean installation.



Portrait Installation

A damage free surface mount and discreet cable systems provide ultimate flexibility in how you display your content.




keywest

BRZ-10US

Meeting room management is a Breeze







All communication in the Breeze architecture - whether it is the Feed Server to the Breeze Server Instance or Breeze Server Instance to individual players - occurs over HTTPS. HTTPS is HTTP connection secured with SSL/TLS.

Everything you need:



Software so easy, it's a Breeze!



Drag and Drop Editor & WYSIWYG Play Preview



Award Winning Technical Support



Easily Customized Templates



Cloud Server Storage & Automatic Software Updates






Meeting room management is a Breeze














BRZ-10

Put your signs to work, not your staff







SPECIFICATIONS

Size 10.1"

Resolution 1280 x 800

Brightness 300 nits

Contrast Ratio 1000:1

Touch Screen Yes

Viewing Angle 170 / 170 (H/V)

IO INTERFACE

Ethernet 1x RJ45 (10M/100M)

WLAN 802.11 b/g/n/ac

USB 2.0 x2

USB Micro x1

Analog Stereo 1x 3.5mm stereo out

Speaker 2W x2

FEATURES

OS Android

CPU ARM quad-core 1.5GHz

Memory 2GB DDR3

Storage 16GB eMMC

Orientation Landscape or Portrait

PoE+ Yes

MECHANICAL & ENVIRONMENT

Dimensions 9.76" x 0.82" x 6.54" or

248 x 20.8 x 166mm

Weight 1.37lbs (615g)

Mounting Glass / Surface

Housing Plastic (black)

Operating Temp 32~113°F

Storage Temp -4~158°F

Humidity 10-90% (non-condensing)

Power 12VDC / 18W

Certification CE / FCC / RoHS

Warranty 1 Year