



WaterFurnace AWL Reconnection Instructions

STEP 1: Disconnect AWL



- Disconnect the grey wire from the port labeled “ABC”
- Wait 60 seconds
- Reconnect the grey wire to the port labeled “ABC”

**Disconnect AWL,
wait 60 seconds
and reconnect**


STEP 2: Reset AWL



- Take a paperclip and bend it open
- Take the paperclip and push the marked button on the Aurora Weblink (AWL). The button will have a light resistance. Hold the button pushed for 10 seconds.
- The green status light will begin flashing fast. Release the button.

Push button and hold for 10 seconds


STEP 3: Reconnect AWL



- Take your phone, tablet or laptop and disconnect from your current Wi-Fi or internet connection.
- Go to your Wi-Fi settings and connect to the network with the name “AWL-...” The Numbers behind the AWL are different for each individual unit.


Connect to AWL wireless signal

STEP 3: Reconnect AWL




- Open your internet browser (Safari/Chrome/Edge/Firefox), type the address 172.20.10.1 into the address bar and hit enter.
- Select “AWL Configuration”

Type 172.20.10.1 into internet address bar



Select AWL Configuration

STEP 3: Reconnect AWL




- Select “Change Wi-Fi Network”

Change Wi-Fi Network


STEP 3: Reconnect AWL

- Scan for Wi-Fi Networks



Scan for Wi-Fi Networks


STEP 3: Reconnect AWL



- Select your Wi-Fi Network by clicking on it. In this case for example it is “BGH office”

Select Wi-Fi Network


STEP 3: Reconnect AWL



- Enter your Wi-Fi password (case sensitive) and save it by clicking “OK”

Enter Wi-Fi Password ←

STEP 4: Set Up Complete



- The setup will be complete when the "AWL Web Setup Complete" message is shown, and the blue Wi-Fi light will turn solid within the next 120 seconds.



Solid Blue Light = Success