


Premier IS-2 by Clearlight®



Features

Therapeutic Infrared Heaters

Our exclusive True Wave® combination carbon/ceramic Low EMF far infrared heaters surround you in healing infrared heat.

Doctor Designed Ergonomic Bench

Relax in comfort in your sauna with our reversible bench. The extra deep bench is ergonomic on one side and flat on the other for maximum comfort.

Elegant Details

Beautiful tongue and groove wood and attention to detail set our furniture quality sauna cabins apart.

Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

Built-in Ergonomic Backrest

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.



Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



Beautiful Wooden Light Shade

Your sauna sessions are enhanced with the relaxing inside light for that true sauna feel.



Built-in Ergonomic Backrest





Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.



Low EMF/ELF


Using ultra-sensitive testing equipment, our proprietary heaters cancel out both EMF and ELF, making them the safest on the market.

Premier IS-2 by Clearlight®



120 V / 15 Amps Electrical circuit required.
NEMA 5-15

Specifications

Construction Eco-Certified wood choices: 1. Mahogany Exterior/Interior 2. Basswood Exterior/Interior Tongue & Groove Construction Weight: 395 lbs	Exterior Width: 50" Depth: 44" Height: 76" Roof overhang: 6 5/8" Door: 23 3/4" x 64 7/8"	Interior Width: 45" Depth: 40" Height: 71" Bench: 43" x 22" Bench Height: 17 1/2"	Far Infrared Heaters True Wave® Carbon/Ceramic Low EMF/ELF Heaters Power: 120V / 1,750W / 14.5A	Limited Lifetime Warranty Cabinetry Electrical Heaters	 Attention: make sure largest panel can fit through all access points from location entrance to sauna set up location
---	--	---	---	--	---

Premier IS-2 by Clearlight®

Individual panel sizes laying flat in inches

Panel	Length	Width	Height
Roof	50 ¼	50 ¼	3 ½
Floor	44 ¼	50	2 ¾
Left Side	71 ½	39	4
Right Side	71 ½	39	4
Back Wall	71 ½	49 ½	5
Front Wall	71 ½	49 ½	3 ¾
Overhang	71 ½	41 ½	3 ¾

Electrical Wire Requirements:

15 amp saunas are 14 AWG
20 amp saunas are 12 AWG
Single phase / 3 wire: live/neutral/ground - for 120v



Attention: Make sure sauna is assembled on a level surface

Additional Information

Installation and Clearance Requirements

Your sauna is designed as a standalone unit and must remain fully accessible on all sides and the roof. **At least 4 inches (10 cm) minimum clearance** on each side of the sauna is required for installation and proper ventilation. **Adequate clearance above the sauna roof** is necessary to allow for installation, troubleshooting, and maintenance access as key components are located in the roof of the sauna. Please ensure sufficient space to safely access the roof when needed.

Add On

- Can't have both upgrade heater and Red Light simultaneously.

Bench Weight Limit

Bench Weight Limit 350 lbs per person

Add-Ons

If you purchase an upgrade heater or Red Light Therapy unit to place in your sauna, your electrical requirements change to the required plug: **120 V / 20 Amps Electrical circuit required. NEMA 5-20p**

