



Innovational Laboratories, LLC.
 5555 W Brooks St.
 Montclair, CA 91763
 Tel 909-230 6210
 Fax 909-230 6211
 www.ilab-us.com

CoA # 20081994
 CoA Date 08/07/2020
 CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Skin Aligned	Date Received	8/6/2020
Address	204 Chaumont Circle Tustin Rancho CA 92610	Condition	Good
		Temp	Ambient
Sample Name	gen.zen	PO #	
Sample Lot #	200620-01	Remarks	RUSH
	THC Detection Limit: 0.01%		

Analysis	Specification	Test Result	Test Method	Test Date
Cannabinoids				
Cannabidiol (CBD)	N/A	344.4mg / 51g	HPLC/UPLC	08/06/2020
Cannabidivarinic Acid (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidivarin (CBDV)	N/A	<0.01%	HPLC/UPLC	as above
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	Not Detected	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	<0.01%	HPLC/UPLC	as above
delta-8 Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above

Authorized by

08/07/2020
 Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
 Estimation of uncertainty of measurement is available upon request.



Innovational Laboratories, LLC.
 5555 Brooks St
 Montclair, CA 91763
 Tel 909-230 6210
 Fax 909-230 6211
 www.iLab-US.com

CoA # 20081994A
 CoA Date 08/13/2020
 CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Skin Aligned	Date Received	8/7/2020
Address	204 Chaumont Circle Tustin Rancho CA 92610	Condition	Good
Sample Name	gen.zen	Temp	Ambient
Sample Lot #	200620-01	PO #	
		Remarks	

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	08/10/2020
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromopropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etrimphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfothion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinatre	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by 08/13/2020
 Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.
 5555 Brooks St
 Montclair, CA 91763
 Tel 909-230 6210
 Fax 909-230 6211
 www.iLab-US.com

CoA # 20081994A
 CoA Date 08/13/2020
 CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Skin Aligned	Date Received	8/7/2020
Address	204 Chaumont Circle Tustin Rancho CA 92610	Condition	Good
		Temp	Ambient
Sample Name	gen.zen	PO #	
Sample Lot #	200620-01	Remarks	

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraoxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraoxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Residual Solvents				
Methanol	N/A	Pass <3000 ppm	USP <467>	0/11/2020
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above

Authorized by 08/13/2020
 Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.
 5555 Brooks St
 Montclair, CA 91763
 Tel 909-230 6210
 Fax 909-230 6211
 www.iLab-US.com

CoA # 20081994A
 CoA Date 08/13/2020
 CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Skin Aligned	Date Received	8/7/2020
Address	204 Chaumont Circle Tustin Rancho CA 92610	Condition	Good
		Temp	Ambient
Sample Name	gen.zen	PO #	
Sample Lot #	200620-01	Remarks	

Analysis	Specification	Test Result	Test Method	Test Date
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
Terpenes				
alpha-Pinene	N/A	0.98mg / g	GC-MS	08/07/2020
Camphene	N/A	Not Detected	GC	as above
Beta-Myrcene	N/A	0.24mg / g	GC	as above
Beta-Pinene	N/A	0.16mg / g	GC	as above
3-Carene	N/A	Not Detected	GC	as above
alpha-Terpinene	N/A	1.53mg / g	GC	as above
Ocimene	N/A	Not Detected	GC	as above
Limonene	N/A	1.03mg / g	GC	as above
P-Cymene	N/A	1.27mg / g	GC	as above
Beta-Ocimene	N/A	0.29mg / g	GC	as above
Eucalyptol	N/A	11.94mg / g	GC	as above
gamma-Terpinene	N/A	2.67mg / g	GC	as above
Terpinolene	N/A	0.47mg / g	GC	as above
Linalool	N/A	Not Detected	GC	as above
Isopulegol	N/A	0.13mg / g	GC	as above
Geraniol	N/A	Not Detected	GC	as above

Authorized by 08/13/2020
 Guy Weerasékera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
 Estimation of uncertainty of measurement available upon request.



Innovatical Laboratories, LLC.
 5555 Brooks St
 Montclair, CA 91763
 Tel 909-230 6210
 Fax 909-230 6211
 www.iLab-US.com

CoA # 20081994A
 CoA Date 08/13/2020
 CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Skin Aligned	Date Received	8/7/2020
Address	204 Chaumont Circle Tustin Rancho CA 92610	Condition	Good
		Temp	Ambient
Sample Name	gen.zen	PO #	
Sample Lot #	200620-01	Remarks	

Analysis	Specification	Test Result	Test Method	Test Date
Beta-Caryophyllene	N/A	0.15mg / g	GC	as above
alpha-Humulene	N/A	0.12mg / g	GC	as above
Nerolidol 1	N/A	0.16mg / g	GC	as above
Nerolidol 2	N/A	Not Detected	GC	as above
Guaiol	N/A	Not Detected	GC	as above
Caryophyllene oxide	N/A	Not Detected	GC	as above
alpha-Bisabolol	N/A	Not Detected	GC	as above
Heavy Metals				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	08/13/2020
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.001 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.007 ppm	ICP-MS (STP-021)	as above
Microbiology				
TPC	N/A	<10 cfu/g	AOAC 966.23	08/07/2020
Yeast	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Mold	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Staphylococcus aureus	N/A	Negative / 10g	AOAC 2003.07	as above

Authorized by 08/13/2020
 Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
 Estimation of uncertainty of measurement available upon request.