

keywest

BRZ-10

Put your signs to work, not your staff





SignWaveTM TD-10 is our leading digital door card that keeps your meeting schedules and event activities current by seamlessly interfacing with popular room management software. Of course, SignWave has many advanced abilities, giving you innovative choices at solving communication challenges.

- Easily Mounts to Any Surface Including Glass
- Power-over-Ethernet (PoE+) Ready
- Side Mounted Room Availability LED Light Bars
- Slim Display Measures 1.1" From Wall
- Reliable & Secure Data Via SIGNWAVE Widget







keywest

BRZ-10

Put your signs to work, not your staff



















Google Calendar

Advanced Features



LED Light Bar

Designed with LED light bar on the sides of chassis to provide visual cues to meeting room availability.



SignWave Widget

SignWave connects to your property EMS or PMS software reliably and securely via the cloud-based Breeze Digital Signage system.



CE | FCC | RoHS Certified

SignWave is certified and meets all requirements for PC devices. It meets CE, FCC and RoHS standards for low voltage devices.

Installation Highlights



Built-In PoE+

Built-in Power-over-Ethernet simplifies installation and eliminates messing with 3rd party add-ons, assuring you of the simplest yet most reliable installation possible.



Slim Chassis Depth

SignWave TD10 comes in an industrialgrade composite housing with a slim depth of only 1.1" depth from the wall. The housing is self-contained and only needs a PoE+ connection for operation



Glass Surface

SignWave includes a VESA mount wall plate and a surface-mount kit to secure it to any wall surface, including glass, keeping the PoE+ connection and mounting tabs hidden from view.






Put your signs to work, not your staff







All communication in the Breeze architecture - whether it is the Feed Server to the Breeze Server Instance or Breeze Server Instance to individual players - **occurs over HTTPS**. **HTTPS is HTTP connection secured with SSL/TLS**.


Everything you need:















Put your signs to work, not your staff

















Put your signs to work, not your staff











SPECIFICATIONS

Size 10.1"

Resolution 1280 x 800

Brightness 300 nits

Contrast Ratio 1000:1

Touch Screen Yes

Viewing Angle 178 / 178 (H/V)

IO INTERFACE

Ethernet 1x RJ45 (10M/100M)

802.11 b/g/n WLAN

USB 2.0 x2

USB Micro x1

Analog Stereo 1x 3.5mm stereo out

Speaker 2W x2

FEATURES

Android os

ARM quad-core 1.6GHz

2GB DDR3 Memory

Storage 8GB eMMC

Orientation Landscape

PoE+ Yes

MECHANICAL & ENVIRONMENT

Dimension 10.28" x 1.1" x 7.61" or 261.1 x 27 x 193.3 mm

Weight 1.56lbs (710g)

Glass / Surface / VESA Mounting

Plastic (black) Housing

Operating Temp 32~122°F

Storage Temp -4~140°F

10-85% (non-condensing) Humidity

Power DC 12V / 18W

Certification CE / FCC / RoHS

Warranty 1 Year