


E4 USER MANUAL

INITIAL RIDING IT



During learning, risk of slip hurt occurs, so wear helmet and protectives during trying it.Refer to image.



2 When sliding smoothly and balanced, retreat the other foot and put on the board, then press the acceleration button to fasten scoot forward.



1 Turn power on, foot step on the scooter board, the other foot kick aginst ground backward.



3 During running, touch the button of " ", switch over speed. If the light is not strong at night, turn on light, keep the road bright.

The above learning step is intended for use of initializing ride .for further information , refer to <MANUAL FOR ELECTRIC SCOOTER> mentioned above.

CAUTIONS



FAILURE TO OBSERVE WILL LEAD TO TROUBLES, ACCIDENTS, EVEN PHYSICAL SAFETY OR PROPERTY DAMAGES

SPECIAL HINTS:

When folding scooter, be sure to align Up Arrow to Down Arrow

SPECIAL REMIND FOR CLEANING:

- 1. Prevent water from entering front part of scooter, controller, recharge socket(with battery and circuit)
- 2. No high pressure water gun to flush scooter
- 3. No riding the scooter in the rain.

SPECIAL HINTS FOR RIDING

- 1. To ensure the safety, wear protectives before riding scooter.
- 2. Electric scooter is fashionable entertainment vihicle., no riding onto motor vihicle lane.
- 3. Biginner should be under custody to learn to ride.
- 4. Not operate the outfit until being familiar with the scooter.

RECOMMENDATIONS FOR RECHARGING

- 1. No using non-original Scooter charger to recharge the battery
- 2. No recharging when the socket is wet.
- 3. No recharging within reach of children and pets
- 4. No recharging around flammable and combustible items
- 5. No exposure to the place higher than 50° C or lower than -20° C (I.E. not exposed to rain or sunshine). No disposing of the battery pack into fire, or exposion occur or flames or fail in effect. If to be un-used beyond 30 days, have it fully charged beforehand, then store it in cool & dry place. Please recharge it every 60 days to protect the battery from damage.
- 6. Avoid recharging without supervision.
- 7. No disassembling battery pack.
- 8. The scooter with full battery can stand by for 120 or 180 days long. With non-full battery energy, can standby 30—60 days. And be careful, not recharging in time will damage battery pack.


WELCOME TO USE

Thank you for choosing our electric scooter (hereinafter referred to as electric scooter), which is a fashionable sports and entertainment equipment.

CONTENTS

1.Product & accessories	02
2.Function diagram	03
3.Scooter body assembly chart	04
4.Recharger connection	05
5. How to run it	05
6.Safety knowledge	07
7.How to fold and handle it	12
8.Routine maintenance and repair	13
9.Model & parameters	14
10.Descriptions of harmful material	15
11.Declarations for trademarks and law	15
12.Warranty	16
13.Declarations for law	20

1. PRODUCT & ACCESSORIES









Check if the items are complete in package, Please contact us if any items missed (please refer to bottom page)


2. FUNCTION DIAGRAM





3. SCOOTER BODY ASSEMBLY FLOW CHART




2. Take the scooter out from the box for installation:








4.CONNECTION OF CHARGER



5. LEARN TO DRIVE




Due to the possibilities of hurt occur during riding on scooter, please wear protective such as helmet.



1.power it on, and check battery level.



2.single foot steps on scooter board, then the other foot kicks against ground backward.



5.when turning around in corner, keep body gravity center slightly toward to side of corner, and turn the handle slowly.




6. COMMON SAFETY KNOWLEDGE

To keep away from potential danger



No riding in the rain



Avoid bumping your head against door frame




When crossing deceleration strip, pit, concave etc, no slow down to pass. When on curve road, keep speed at 5—10kilo. Bend your knee a little to cope with rough road.




Do not accelerate the sccoter on a downward slope



When pushing the scooter to run, no pressing the accelerator .



Avoid the obstacles




No place the bag or weighties on handle. No run on slippy marble, tile to prevent slip down.



When riding, no laying with only one


NO TRYING DANGEROUS ACTIONS



No riding scooter on motor vehicle lane.



No riding in water beyond 5cm deep.





When riding at high speed, do not turn handle bar in big angle.




Never multiple persons ride the same scooter or holding baby to ride scooter.














Safety Precautions

- The scooter is an entertainment outfit. But when in public area, it comes with transport
 properties. So it is connecting with dangers of common transportation tools. Please strictly
 observe the relevant rule or regulations to ensure your personal and property safety.
- Pay attentions: once in public area, even though you obey local rules, maybe you also will be involved in trouble and risk led by other vehicles. So your vigilance should be raised. Keep away from other tools, or take care of riding on unfamiliar road.
- Respect the right of other pedestrians. Avoid frightening others, especially the elder & children, etc, behave politely. Pass through the left of passer(applicable to countries with the law that vehicles ride on the right side of the road. When coming cross walker, keep yourself in the right side and run at low speed.
- In absence of scooter regulations such as In China or other countries, please strictly obey the
 rules stipulated in manual. Or otherwise we have no obligations or responsibilities to be held for
 personal hurt, properties damages, etc.
- No lending the scooter to person who can not ride to avoid in-expectations. If it is lent to your friends, you will take responsibilities for them.
- Always check before you use it. If finding the components loose, obvious low battery level or
 excessive wear on tires, or fault turning, please stop use it. No abusing it. Or contact after-sales
 services for professional guidance.

7. FOLDING AND HANDLING





- 1.Be sure the scooter is powered off. 2.Use the right hand to gently push vertical pipe forward.
- 3. The left hand press down folding lever. 4. Turn inward the vertical pipe to the lowest level.





Handle when folding it, single hand or two hands hanle the tube.

8. ROUTINE MAINTENANCE & REPAIR

Clean and store

Just use wet cloth to wipe off the dust or stains. If the it is solid dust, apply some toothpaste to wipe off it. If there is scratches on it. use the sand-cloth to gently wipe them.

Hints: no applying alcohol, petrol, etc soluble or corrosive material to clean it. When not recharging it, cover the jack to prevent water from into socket to lead to shorting or being damaged.

When being idle, store it indoors, dry and cool place. Avoid storing it outdoors for a long time. Harsh weather would shorten its service period.

Battery maintenance

- 1.no using other brand battery pack, or lead to potential danger or risk
- 2.no touching contacts of battery, no disassembling battery pack, or lead to explosion
- 3.just use the matching charger, or lead damages to your battery
- 4.properly dispose of battery to avoid polluting environment to obey the local rules.
- 5. in order to lengthen battery service life, always recharge it after using it

Be sure to store the battery under the environment of beyond 50° C or lower than- 20° C (I.E. no exposing scooter or battery pack to the strong sunshine or inside of hot car), No prohibiting the battery pack into fire, or lead to failure, overheat or fire. When being idle for more 30 days, recharge it full. Put it at dry cool place and recharge it every 60 days. If failing to do so, battery will be damaged, which is not include in the warranty scope.

Never recharge it before the battery drains out, recommend to recharge it every time you ride it.doing so will longthen the life of battery. Under the normal temperature, the battery can perform perfectly; if riding it under lower than $0^{\circ}\mathbb{C}$, the battery will not work badly. While under -20° \mathbb{C} , the battery will acts half-perfectly better than in normal condition. With going up of temperature, batter restores capacity. For more details, refer to mileage display.

Hints: the full battery will drain out 120—180 days later. The flat battery should be on time recharged or put for long time and be damaged and not charged again. It does not fall into warranty. (notice: non-personnel is prohibited to repair unit, or will lead to electric shock or short. or serious accident)

9.MODEL AND PARAMETER

Spec.	Items	Parameters		
Size	Before folding	110*43*110 (cm) L*W*H		
Size	After folding	110*43*42 (cm) L*W*H		
Weight	N.W.	Appr.13 (kg)		
	Max load	120kg		
Requirements	Suitable for age	18~45 years old		
	Typical height	>150cm		
	Max speed	25km/h		
	Millage	30km		
	Max slope	16%		
Main	Road condition	Cement, asphalt flat dusty road, less than 3cm deep concave		
parameters	Operating T	-10~40 (°C)		
	Storage temperature	-20~45 (°C)		

^{1.}scooter height: distance from ground to top of scooter; 2.typical travel: under condition of being full battery, 60kg load, temperature 25 centigrade ,flat ground, no wind blowing, at level 2,running at speed of 15Kilo the value measured under above condition. actual travel mileage will vary subject to actual condition.

Notes: we have the right to alter the data or parameter without prior notice.

10.HAZARDOUS MATERIAL NAME/CONTENT

	Parameters of scooter						
Index	Pb	Hg	Cd	Cr(VI)	PBB	PBDE	
Recharge	х	0	0	0	0	0	
Battery	х	0	0	0	0	0	
Socket	х	0	0	0	0	0	
Main PCB	х	0	0	0	0	0	
MeterPCB	x	0	0	0	0	0	
Hub motor	x	0	0	0	0	0	
Frame	0	0	0	0	0	0	
Wheel	0	0	0	0	0	0	

The table based on regulations of SJ/T11364
O: stand for harmful less than that in the even material of scooter(GB/T36572)
X: for harmful content more than that in some texture of material of scooter(GB/T26572)